

INDUSTRIAL COMPONENT DATA

M22S-WRS3-MS*-A* 217443 Y7-217443 EATON ELECTRIC

Key-operated actuator, 3 positions, maintained, type accord..

Brand: EATON - MOELLER | Manufacturer Part Number: M22S-WRS3-MS*-A*



Manufacturer	EATON - MOELLER
MPN / Reference	M22S-WRS3-MS*-A*
Catalog number	Y7-217443
Category	Front element for selector switch
Minimum order	1 Pcs
Document ID	EO-AC290CA580
Generated	2026-08-03

Product Overview

Key-operated actuator, 3 positions, maintained, type according to data

M22S-WRS3-MS*-A*

Eaton Moeller® series M22 Key-operated actuator, maintained, 3 positions, MS1-MS20: Key withdrawable: Selectable, Bezel: black

Key-operated actuator, Product range: RMQ-Titan, Single unit, Design: Key operated, maintained, Not suitable for master key systems, 3 positions, Lock mechanism: selectable, Selectable, Degree of Protection: IP66, Bezel: black, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7, Instructions: Stay-put/spring-return function, can be changed with coding parts M22-XC-Y, Key withdraw convertible with coding adapters M22-XC-..., with plunger bridge for the middle contact, With 1 key, Standards: IEC/EN 60947, VDE 0660, Degree of Protection: IP66

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Auxiliary Control and Signalling Elements
--------------	---

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Key-operated actuator Catalog Number 217443 Model Code

M22S-WRS3-MS*-A* Product Length/Depth 70 mm Product Height 30 mm Product Width 30 mm Product Weight 0.031 kg

Certifications UL 508

CSA Class No.: 3211-03

IEC/EN 60947

CE

CSA-C22.2 No. 14-05

IEC/EN 60947-5

UL Category Control No.: NKCR

CSA File No.: 012528

UL File No.: E29184

VDE 0660

CSA

UL

CSA-C22.2 No. 94-91

DNV

GL

LR

ETIM for 217443 Low-voltage industrial controls and switchgear (EC000222)

Feature Name

Feature Value

Number of switch positions (EF000231)

3

Type of control element (EF006976)

Key

Suitable for lighting (EF001142)

No

Colour control element (EF007167)

Black

Colour indicator light cap (EF007165)

Other

Construction type lens (EF006253)

Round

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Switching function latching (EF007447)

Yes

Spring-return (EF001407)

No

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Black

Degree of protection (IP), front side (EF003118)

IP66

Degree of protection (NEMA) (EF011959)

4X, 13

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22S-WRS3-MS*-A* with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.