

## INDUSTRIAL COMPONENT DATA

# M22-WRS/KC11/I 216526 Y7-216526 EATON ELECTRIC

## Key-operated button, 1N/O+1N/C, 2 positions, surface mounting

Brand: EATON - MOELLER | Manufacturer Part Number: M22-WRS/KC11/I



|                 |                                                  |
|-----------------|--------------------------------------------------|
| Manufacturer    | EATON - MOELLER                                  |
| MPN / Reference | M22-WRS/KC11/I                                   |
| Catalog number  | Y7-216526                                        |
| Category        | Control circuit devices combination in enclosure |
| Minimum order   | 1 Pcs                                            |
| Document ID     | EO-742C5152F6                                    |
| Generated       | 2026-08-05                                       |

### Product Overview

Key-operated button, 1N/O+1N/C, 2 positions, surface mounting

M22-WRS/KC11/I

Eaton Moeller® series M22 Key-operated actuator, maintained, 2 positions 0, I, Bezel: titanium, 1 NC, 1 N/O, Enclosure Complete device, key selection button, lock mechanism MS1, 2 positions, maintained, key withdrawable in position I and O, with contact 1N/O 1 N/C, in plastic surface mounting enclosure, RMQ system, flush mounting plate, diameter 22.3mm, clip-fit assembly, bezel color silver, degree of protection IP67, 69K

## STRUCTURED PRODUCT DATA

### Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

### Classification & Catalog Path

Catalog path EATON - MOELLER > Auxiliary Control and Signalling Elements

### Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Key-operated actuator Catalog Number 216526 Model Code M22-WRS/KC11/I

EAN 4015082165260 Product Length/Depth 130 mm Product Height 70 mm Product Width 72 mm Product Weight 0.2 kg

Certifications CE

IEC/EN 60947

UL 508

CSA Class No.: 3211-03

IEC/EN 60947-5

UL File No.: E29184

CSA

CSA File No.: 012528

CSA-C22.2 No. 94-91

CSA-C22.2 No. 14-05

UL

UL Category Control No.: NKCR

VDE 0660

ETIM for 216526 Low-voltage industrial controls and switchgear (EC000225)

Feature Name

Feature Value

Number of command positions (EF001372)

1

Number of push buttons (EF005558)

0

Number of indicator lights (EF001965)

0

Number of key switches (EF005590)

1

Number of selector switches (EF005567)

1

Number of mushroom-shaped push-buttons (EF006670)

0

Suitable for emergency stop (EF001433)

No

Rated control supply voltage AC 50 Hz (EF003978)

115 V

Rated control supply voltage AC 60 Hz (EF003979)

115 V

Rated control supply voltage DC (EF003980)

24 V

Colour housing cover (EF001373)

Grey

Housing colour (EF000136)

Grey

Housing material (EF001596)

Plastic

Number of contacts as normally open contact (EF008256)

1

Number of contacts as normally closed contact (EF008255)

1

Number of contacts as change-over contact (EF008257)

0

Degree of protection (IP) (EF005474)

IP66

Degree of protection (NEMA) (EF011959)

4X, 13

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-WRS/KC11/I with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.