

## INDUSTRIAL COMPONENT DATA

# M22-PVLT30 197538 Y7-197538 EATON ELECTRIC Emergency Stop Mini Pushbutton D 30 mm Luminous Unlocking by

Brand: EATON - MOELLER | Manufacturer Part Number: M22-PVLT30



|                 |                                        |
|-----------------|----------------------------------------|
| Manufacturer    | EATON - MOELLER                        |
| MPN / Reference | M22-PVLT30                             |
| Catalog number  | Y7-197538                              |
| Category        | Front element for mushroom push-button |
| Minimum order   | 1 Pcs                                  |
| Document ID     | EO-47DC21ED01                          |
| Generated       | 2026-08-05                             |

## Product Overview

Emergency Stop Mini Pushbutton; D=30 mm; Luminous; Unlocking by M22-PVLT30

Eaton Moeller® series M22 Emergency stop/emergency switching off pushbutton, RMQ-Titan, Mushroom-shaped, 30 mm, Illuminated with LED element, Turn-to-release function, Red, yellow

Emergency stop/emergency switching off pushbutton, Product range: RMQ-Titan, Single unit, Design: Mushroom-shaped, Diameter: 30 mm, Illumination: Illuminated with LED element, Turn-to-release function, Description: Tamper-proof according to ISO 13850/EN 418, Color Mushroom head: Red, Color Base: yellow, Degree of Protection: IP65, IP66, IP69, Connection to SmartWire-DT: no, Front dimensions: 35, Instructions: Max. Configuration: 4 x M22-(C)K01, ...10 or 2 x M22-(C)K02, ...20, ...11 and 1 x M22-(F)LED..., When using M22-PVL... with 1 x M22-K01SMC10 (single channel), article M22-XSMC (order no.: 173030) is required. Order this item separately. , Standards: EN 50581:2012, EN 60947-5-1:2017, EN 60947-5-5:1997 + A1:2005 + A11:2013 + A2:2017, EN ISO 13850:2015, 2006/42/EC Machinery Directive

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path

EATON - MOELLER &gt; Auxiliary Control and Signalling Elements

## Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Emergency stop/emergency switching off pushbutton Catalog Number 197538  
Model Code M22-PVLT30 EAN 4015081942541 Product Length/Depth 30 mm Product Height 32 mm Product Width 30 mm Product Weight 0.03 kg Certifications CE  
CCC

EAC  
CSA  
EN 50581  
EN ISO 13850  
EN 60947-5-1  
Machines 2006/42/EG  
ETIM for 197538 Low-voltage industrial controls and switchgear (EC001038)  
Feature Name  
Feature Value  
Colour button (EF000190)  
Red  
Construction type lens (EF006253)  
Round  
Diameter cap (EF001423)  
30 mm  
Hole diameter (EF000079)  
22.5 mm  
Width opening (EF004565)  
0 mm  
Height opening (EF004778)  
0 mm  
Degree of protection (IP) (EF005474)  
IP66  
Degree of protection (NEMA) (EF011959)  
4X  
Type of button (EF001546)  
High  
Suitable for lighting (EF001142)  
Yes  
With lighting (EF003829)  
No  
Supply voltage lamp (EF006522)  
0 V  
Switching function latching (EF007447)  
Yes  
Spring-return (EF001407)  
No  
With front ring (EF006014)  
No  
Material front ring (EF005972)  
Other  
Colour front ring (EF002429)  
Other  
Suitable for emergency stop (EF001433)  
Yes  
Unlocking method (EF001403)  
Turn-release

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-PVLT30 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.