

INDUSTRIAL COMPONENT DATA

M22-PVLT30 197538 Y7-197538 EATON ELECTRIC Emergency Stop Mini Pushbutton D 30 mm Luminous Unlocking by

Brand: EATON - MOELLER | Manufacturer Part Number: M22-PVLT30



Manufacturer	EATON - MOELLER
MPN / Reference	M22-PVLT30
Catalog number	Y7-197538
Category	Front element for mushroom push-button
Minimum order	1 Pcs
Document ID	EO-47DC21ED01
Generated	2026-08-06

Product Overview

Emergency Stop Mini Pushbutton; D=30 mm; Luminous; Unlocking by M22-PVLT30

Eaton Moeller® series M22 Emergency stop/emergency switching off pushbutton, RMQ-Titan, Mushroom-shaped, 30 mm, Illuminated with LED element, Turn-to-release function, Red, yellow

Emergency stop/emergency switching off pushbutton, Product range: RMQ-Titan, Single unit, Design: Mushroom-shaped, Diameter: 30 mm, Illumination: Illuminated with LED element, Turn-to-release function, Description: Tamper-proof according to ISO 13850/EN 418, Color Mushroom head: Red, Color Base: yellow, Degree of Protection: IP65, IP66, IP69, Connection to SmartWire-DT: no, Front dimensions: 35, Instructions: Max. Configuration: 4 x M22-(C)K01, ...10 or 2 x M22-(C)K02, ...20, ...11 and 1 x M22-(F)LED..., When using M22-PVL... with 1 x M22-K01SMC10 (single channel), article M22-XSMC (order no.: 173030) is required. Order this item separately. , Standards: EN 50581:2012, EN 60947-5-1:2017, EN 60947-5-5:1997 + A1:2005 + A11:2013 + A2:2017, EN ISO 13850:2015, 2006/42/EC Machinery Directive

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path

EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Emergency stop/emergency switching off pushbutton Catalog Number 197538
Model Code M22-PVLT30 EAN 4015081942541 Product Length/Depth 30 mm Product Height 32 mm Product Width 30 mm Product Weight 0.03 kg Certifications CE
CCC

EAC
CSA
EN 50581
EN ISO 13850
EN 60947-5-1
Machines 2006/42/EG
ETIM for 197538 Low-voltage industrial controls and switchgear (EC001038)
Feature Name
Feature Value
Colour button (EF000190)
Red
Construction type lens (EF006253)
Round
Diameter cap (EF001423)
30 mm
Hole diameter (EF000079)
22.5 mm
Width opening (EF004565)
0 mm
Height opening (EF004778)
0 mm
Degree of protection (IP) (EF005474)
IP66
Degree of protection (NEMA) (EF011959)
4X
Type of button (EF001546)
High
Suitable for lighting (EF001142)
Yes
With lighting (EF003829)
No
Supply voltage lamp (EF006522)
0 V
Switching function latching (EF007447)
Yes
Spring-return (EF001407)
No
With front ring (EF006014)
No
Material front ring (EF005972)
Other
Colour front ring (EF002429)
Other
Suitable for emergency stop (EF001433)
Yes
Unlocking method (EF001403)
Turn-release

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-PVLT30 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.