

INDUSTRIAL COMPONENT DATA

M22-SOL-PVT45PMPI11Q 150644 Y7-150644 EATON ELECTRIC Fireman's switch, PV, 1N/O+1N/C

Brand: EATON - MOELLER | Manufacturer Part Number: M22-SOL-PVT45PMPI11Q



Manufacturer	EATON - MOELLER
MPN / Reference	M22-SOL-PVT45PMPI11Q
Catalog number	Y7-150644
Category	Selector switch, complete
Minimum order	1 Pcs
Document ID	EO-996E05521C
Generated	2026-08-06

Product Overview

Fireman's switch, PV, 1N/O+1N/C

M22-SOL-PVT45PMPI11Q

Eaton Moeller® series M22 Fireman's switch, PV, 1N/O+1N/C

Fireman's switch, Degree of Protection: IP66, IP67, IP69K, Contacts N/C = Normally closed: 1 NC, N/O = Normally open: 1 N/O

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Fireman's switch Catalog Number 150644 Model Code

M22-SOL-PVT45PMPI11Q EAN 4015081469567 Product Length/Depth 110 mm Product Height 80 mm Product Width 72 mm Product Weight 0.305 kg Compliances CE Features & Functions

Bezel color Other Bezel material Plastic Electric connection type Screw connection General

Degree of protection IP67/IP69K

NEMA 4X Opening diameter 22.5 mm Actuator

Actuator color Red Actuator type Turn button Number of switch positions 2 Contacts

Number of contacts (change-over contacts) 0 Number of contacts (normally closed contacts) 1 Number of contacts (normally open contacts) 1

ETIM for 150644 Low-voltage industrial controls and switchgear (EC001029)

Feature Name

Feature Value

Number of switch positions (EF000231)

2

Type of control element (EF006976)

Rotating button

Suitable for lighting (EF001142)

No

With light source (EF005905)

No

Colour button (EF000190)

Red

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Switching function latching (EF007447)

No

Spring-return (EF001407)

No

Degree of protection (IP) (EF005474)

IP67/IP69K

Degree of protection (NEMA) (EF011959)

4X

Supply voltage (EF004127)

0 V

Number of contacts as normally open contact (EF008256)

1

Number of contacts as normally closed contact (EF008255)

1

Number of contacts as change-over contact (EF008257)

0

Type of electric connection (EF003961)

Screw connection

With front ring (EF006014)

No

Mat...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-SOL-PVT45PMPI11Q with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.