

INDUSTRIAL COMPONENT DATA

M22-WRJS2H 178574 Y7-178574 EATON ELECTRIC Joystick 2 positions horizontal stay-put metal shaft

Brand: EATON - MOELLER | Manufacturer Part Number: M22-WRJS2H



Manufacturer	EATON - MOELLER
MPN / Reference	M22-WRJS2H
Catalog number	Y7-178574
Category	Control switch, Joystick
Minimum order	1 Pcs
Document ID	EO-68E0B1C7E6
Generated	2026-08-05

Product Overview

Joystick; 2 positions; horizontal; stay-put; metal shaft

M22-WRJS2H

Eaton Moeller® series M22 Joystick, with one operating point per operating direction, with metal shaft, 2 positions, Bezel: titanium, maintained, Horizontal

Joystick, Product range: RMQ-Titan, Single unit, Description: with one operating point per operating direction, with metal shaft, 2 positions, Degree of Protection: IP66, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Function: maintained, Horizontal, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path

EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Joystick Catalog Number 178574 Model Code M22-WRJS2H EAN 4015081739035 Product Length/Depth 100 mm Product Height 30 mm Product Width 30 mm Product Weight 0.038 kg

Certifications CSA

IEC/EN 60947

VDE 0660

CSA-C22.2 No. 14-13

CE

CSA-C22.2 No. 94-91

UL File No.: E29184
UL Category Control No.: NKCR
UL 508
IEC/EN 60947-5
UL
CSA Class No.: 3211-03
CSA File No.: 012528
ETIM for 178574 Low-voltage industrial controls and switchgear (EC000632)
Feature Name
Feature Value
Rated operation current I_e at AC-21, 400 V (EF002417)
0 A
Centre mounting, hole diameter (EF002424)
22.5 mm
Joy stick length (EF006524)
75 mm
Number of actuation directions (EF002425)
2
Number of switch positions (EF000231)
0
Number of normally open contacts per actuation direction (EF002427)
0
Number of normally closed contacts per actuation direction (EF008263)
0
Number of make-and-break contacts per direction (EF005599)
0
With retraction in 0-position (EF002428)
No
Locking in 0-position (EF006283)
No
Coder (EF005666)
No
Analogue output signal configurable (EF003236)
No
With front ring (EF006014)
Yes
Material front ring (EF005972)
Plastic
Colour front ring (EF002429)
Titanium
Degree of protection (IP) (EF005474)
IP66
Degree of protection (NEMA) (EF011959)
4X, 13

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-WRJS2H with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.