

INDUSTRIAL COMPONENT DATA

M22S-WRJS2V 178577 Y7-178577 EATON ELECTRIC Joystick 2 positions vertical stay-put metal shaft

Brand: EATON - MOELLER | Manufacturer Part Number: M22S-WRJS2V



Manufacturer	EATON - MOELLER
MPN / Reference	M22S-WRJS2V
Catalog number	Y7-178577
Category	Control switch, Joystick
Minimum order	1 Pcs
Document ID	EO-77534BC128
Generated	2026-08-05

Product Overview

Joystick; 2 positions; vertical; stay-put; metal shaft

M22S-WRJS2V

Eaton Moeller® series M22 Joystick, with one operating point per operating direction, with metal shaft, 2 positions, Bezel: black, maintained, Vertical

Joystick, Product range: RMQ-Titan, Single unit, Description: with one operating point per operating direction, with metal shaft, 2 positions, Degree of Protection: IP66, Bezel: black, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Function: maintained, Vertical, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path

EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Joystick Catalog Number 178577 Model Code M22S-WRJS2V EAN 4015081739066 Product Length/Depth 100 mm Product Height 30 mm Product Width 30 mm Product Weight 0.038 kg

Certifications CSA File No.: 012528

CSA-C22.2 No. 94-91

IEC/EN 60947

IEC/EN 60947-5

VDE 0660

CSA

CE
CSA-C22.2 No. 14-13
UL 508
UL Category Control No.: NKCR
CSA Class No.: 3211-03
UL
UL File No.: E29184
ETIM for 178577 Low-voltage industrial controls and switchgear (EC000632)
Feature Name
Feature Value
Rated operation current I_e at AC-21, 400 V (EF002417)
0 A
Centre mounting, hole diameter (EF002424)
22.5 mm
Joy stick length (EF006524)
75 mm
Number of actuation directions (EF002425)
2
Number of switch positions (EF000231)
1
Number of normally open contacts per actuation direction (EF002427)
0
Number of normally closed contacts per actuation direction (EF008263)
0
Number of make-and-break contacts per direction (EF005599)
0
With retraction in 0-position (EF002428)
No
Locking in 0-position (EF006283)
No
Coder (EF005666)
No
Analogue output signal configurable (EF003236)
No
With front ring (EF006014)
Yes
Material front ring (EF005972)
Plastic
Colour front ring (EF002429)
Black
Degree of protection (IP) (EF005474)
IP66
Degree of protection (NEMA) (EF011959)
4X, 13

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22S-WRJS2V with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.