

INDUSTRIAL COMPONENT DATA

M22S-WS-RS 171148 Y7-171148 EATON ELECTRIC

Key-operated pushbutton (Ronis 455), 2 positions

Brand: EATON - MOELLER | Manufacturer Part Number: M22S-WS-RS



Manufacturer	EATON - MOELLER
MPN / Reference	M22S-WS-RS
Catalog number	Y7-171148
Category	Front element for selector switch
Minimum order	1 Pcs
Document ID	EO-CF8A83D17F
Generated	2026-08-03

Product Overview

Key-operated pushbutton (Ronis 455), 2 positions

M22S-WS-RS

Eaton Moeller® series M22 Key-operated actuator, momentary, 2 positions, Ronis 455, Key withdrawable: 0, Bezel: black
Key-operated actuator, Product range: RMQ-Titan, Single unit, Design: Key operated, momentary, Not suitable for master key systems, 2 positions, Lock mechanism: Ronis 455, Degree of Protection: IP66, Bezel: black, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Instructions: Stay-put/spring-return function, can be changed with coding parts M22-XC-Y, Key withdraw convertible with coding adapters M22-XC-..., with two keys, Standards: IEC/EN 60947, VDE 0660, Degree of Protection: IP66

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **EATON - MOELLER > Auxiliary Control and Signalling Elements**

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Key-operated actuator Catalog Number 171148 Model Code M22S-WS-RS EAN 4015081676385 Product Length/Depth 48 mm Product Height 59 mm Product Width 46 mm Product Weight 0.037 kg

Certifications CE

CSA-C22.2 No. 14-05

IEC/EN 60947

CSA

CSA-C22.2 No. 94-91

VDE 0660

CSA File No.: 012528

IEC/EN 60947-5

UL

UL Category Control No.: NKCR

CSA Class No.: 3211-03

UL 508

UL File No.: E29184

DNV

GL

LR

ETIM for 171148 Low-voltage industrial controls and switchgear (EC000222)

Feature Name

Feature Value

Number of switch positions (EF000231)

2

Type of control element (EF006976)

Key

Suitable for lighting (EF001142)

No

Colour control element (EF007167)

Black

Colour indicator light cap (EF007165)

Other

Construction type lens (EF006253)

Round

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Switching function latching (EF007447)

No

Spring-return (EF001407)

Yes

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Black

Degree of protection (IP), front side (EF003118)

IP66

Degree of protection (NEMA) (EF011959)

4X, 13

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22S-WS-RS with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.