

INDUSTRIAL COMPONENT DATA

M22Y-PVT 147403 Y7-147403 EATON ELECTRIC Stop/halt pushbutton, non-illuminated, yellow

Brand: EATON - MOELLER | Manufacturer Part Number: M22Y-PVT



Manufacturer	EATON - MOELLER
MPN / Reference	M22Y-PVT
Catalog number	Y7-147403
Category	Front element for mushroom push-button
Minimum order	1 Pcs
Document ID	EO-A481CFC68B
Generated	2026-08-02

Product Overview

Stop/halt pushbutton, non-illuminated, yellow

M22Y-PVT

Eaton Moeller® series M22 HALT/STOP-Button, RMQ-Titan, Mushroom-shaped, 38 mm, Non-illuminated, Turn-to-release function, yellow, yellow, RAL 9005

HALT/STOP-Button, Product range: RMQ-Titan, Single unit, Design: Mushroom-shaped, Diameter: 38 mm, Illumination: Non-illuminated, Turn-to-release function, Color Mushroom head: yellow, Color Base: yellow, Color RAL Value: RAL 1004, Degree of Protection: IP66, IP67, IP69K, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Emergency stop/emergency switching off pushbutton Catalog Number 147403

Model Code M22Y-PVT EAN 4015081439010 Product Length/Depth 38 mm Product Height 70 mm Product Width 38 mm

Product Weight 0.045 kg Certifications CSA Class No.: 3211-03

UL

IEC/EN 60947-5

CE

CSA File No.: 012528

UL 508

UL Category Control No.: NKCR

VDE 0660

CSA-C22.2 No. 14-05

CSA-C22.2 No. 94-91

UL File No.: E29184

CSA

IEC/EN 60947

DNV

GL

LR

ETIM for 147403 Low-voltage industrial controls and switchgear (EC001038)

Feature Name

Feature Value

Colour button (EF000190)

Yellow

Construction type lens (EF006253)

Round

Diameter cap (EF001423)

38 mm

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Degree of protection (IP) (EF005474)

IP67/IP69K

Degree of protection (NEMA) (EF011959)

4X, 13

Type of button (EF001546)

High

Suitable for lighting (EF001142)

No

With lighting (EF003829)

No

Supply voltage lamp (EF006522)

0 V

Switching function latching (EF007447)

Yes

Spring-return (EF001407)

No

With front ring (EF006014)

No

Material front ring (EF005972)

Other

Colour front ring (EF002429)

Other

Suitable for emergency stop (EF001433)

No

Unlocking method (EF001403)

Turn-release

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22Y-PVT with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.