

INDUSTRIAL COMPONENT DATA

M22S-DRP-S-X0 216756 Y7-216756 EATON ELECTRIC

Mushroom actuator, black 0, maintained

Brand: EATON - MOELLER | Manufacturer Part Number: M22S-DRP-S-X0



Manufacturer	EATON - MOELLER
MPN / Reference	M22S-DRP-S-X0
Catalog number	Y7-216756
Category	Front element for mushroom push-button
Minimum order	1 Pcs
Document ID	EO-093BBEDB5A
Generated	2026-08-06

Product Overview

Mushroom actuator, black 0, maintained

M22S-DRP-S-X0

Eaton Moeller® series M22 Mushroom actuator, RMQ-Titan, Mushroom, maintained, Mushroom black, black, inscribed, Bezel: black

Mushroom actuator, Product range: RMQ-Titan, Single unit, Design: Mushroom, maintained, Color Mushroom: black, button plate: black, inscribed, Degree of Protection: IP66, IP67, IP69K, Bezel: black, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 22 x 22, Function: maintained, Instructions: Stay-put/spring-return function can be changed on device, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Mushroom actuator Catalog Number 216756 Model Code M22S-DRP-S-X0 EAN 4015082167561 Product Length/Depth 37 mm Product Height 43 mm Product Width 37 mm Product Weight 0.016 kg

Certifications UL Category Control No.: NKCR

CSA-C22.2 No. 94-91

CSA

CSA Class No.: 3211-03

VDE 0660

CSA File No.: 012528

CE

IEC/EN 60947

CSA-C22.2 No. 14-05

IEC/EN 60947-5

UL

UL 508

UL File No.: E29184

DNV

GL

LR

ETIM for 216756 Low-voltage industrial controls and switchgear (EC001038)

Feature Name

Feature Value

Colour button (EF000190)

Black

Construction type lens (EF006253)

Round

Diameter cap (EF001423)

36.5 mm

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Degree of protection (IP) (EF005474)

IP67/IP69K

Degree of protection (NEMA) (EF011959)

4X, 13

Type of button (EF001546)

Flat

Suitable for lighting (EF001142)

false

With lighting (EF003829)

false

Supply voltage lamp (EF006522)

0 V

Switching function latching (EF007447)

true

Spring-return (EF001407)

false

With front ring (EF006014)

true

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Black

Suitable for emergency stop (EF001433)

false

Unlocking method (EF001403)

None

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22S-DRP-S-X0 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.