

INDUSTRIAL COMPONENT DATA

M22-DRP-S-X 216759 Y7-216759 EATON ELECTRIC Mushroom actuator, black, without button plate, maintained

Brand: EATON - MOELLER | Manufacturer Part Number: M22-DRP-S-X



Manufacturer	EATON - MOELLER
MPN / Reference	M22-DRP-S-X
Catalog number	Y7-216759
Category	Front element for mushroom push-button
Minimum order	1 Pcs
Document ID	EO-BAFBA10BE2
Generated	2026-08-05

Product Overview

Mushroom actuator, black, without button plate, maintained

M22-DRP-S-X

Eaton Moeller® series M22 Mushroom actuator, RMQ-Titan, Mushroom, maintained, Mushroom black, Without button plate, Bezel: titanium

Mushroom actuator, Product range: RMQ-Titan, Single unit, Design: Mushroom, maintained, Color Mushroom: black, button plate: Without button plate, Degree of Protection: IP66, IP67, IP69K, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 22 x 22, Function: maintained, Instructions: Stay-put/spring-return function can be changed on device, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path

EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Mushroom actuator Catalog Number 216759 Model Code M22-DRP-S-X EAN 4015082167592 Product Length/Depth 37 mm Product Height 43 mm Product Width 37 mm Product Weight 0.016 kg

Certifications CE

CSA File No.: 012528

CSA-C22.2 No. 14-05

CSA Class No.: 3211-03

IEC/EN 60947

UL Category Control No.: NKCR
CSA-C22.2 No. 94-91
UL File No.: E29184
UL 508
CSA
IEC/EN 60947-5
VDE 0660
UL
DNV
GL
LR
ETIM for 216759 Low-voltage industrial controls and switchgear (EC001038)
Feature Name
Feature Value
Colour button (EF000190)
Black
Construction type lens (EF006253)
Round
Diameter cap (EF001423)
36.5 mm
Hole diameter (EF000079)
22.5 mm
Width opening (EF004565)
0 mm
Height opening (EF004778)
0 mm
Degree of protection (IP) (EF005474)
IP67/IP69K
Degree of protection (NEMA) (EF011959)
4X, 13
Type of button (EF001546)
Flat
Suitable for lighting (EF001142)
No
With lighting (EF003829)
No
Supply voltage lamp (EF006522)
0 V
Switching function latching (EF007447)
Yes
Spring-return (EF001407)
No
With front ring (EF006014)
Yes
Material front ring (EF005972)
Plastic
Colour front ring (EF002429)

Chrome

Suitable for emergency stop (EF001433)

No

Unlocking method (EF001403)

None

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-DRP-S-X with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.