

INDUSTRIAL COMPONENT DATA

M22-DP-R 216714 Y7-216714 EATON ELECTRIC Mushroom actuator, red, momentary

Brand: EATON - MOELLER | Manufacturer Part Number: M22-DP-R



Manufacturer	EATON - MOELLER
MPN / Reference	M22-DP-R
Catalog number	Y7-216714
Category	Front element for mushroom push-button
Minimum order	5 Pcs
Document ID	EO-5610CDB763
Generated	2026-08-05

Product Overview

Mushroom actuator, red, momentary

M22-DP-R

Eaton Moeller® series M22 Mushroom actuator, RMQ-Titan, Mushroom, momentary, Mushroom red, red, Blank, Bezel: titanium

Mushroom actuator, Product range: RMQ-Titan, Single unit, Design: Mushroom, momentary, Color Mushroom: red, button plate: red, Blank, Degree of Protection: IP66, IP67, IP69K, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 22 x 22, Function: momentary, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Mushroom actuator Catalog Number 216714 Model Code M22-DP-R EAN 4015082167141 Product Length/Depth 37 mm Product Height 43 mm Product Width 37 mm Product Weight 0.016 kg

Compliances CE Marked Certifications EN 60947-5

IEC 60947-5

CSA Std. C22.2 No. 94-91

CSA Std. C22.2 No. 14-05

UL 508

VDE

UL Category Control No.: NKCR

CSA

CSA-C22.2 No. 94-91

UL File No.: E29184

CE

UL

VDE 0660

IEC/EN 60947

IEC/EN 60947-5

CSA Class No.: 3211-03

CSA File No.: 012528

CSA-C22.2 No. 14-05

DNV

GL

LR

ETIM for 216714 Low-voltage industrial controls and switchgear (EC001038)

Feature Name

Feature Value

Colour button (EF000190)

Red

Construction type lens (EF006253)

Round

Diameter cap (EF001423)

36.5 mm

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Degree of protection (IP) (EF005474)

IP67/IP69K

Degree of protection (NEMA) (EF011959)

4X, 13

Type of button (EF001546)

Flat

Suitable for lighting (EF001142)

No

With lighting (EF003829)

No

Supply voltage lamp (EF006522)

0 V

Switching function latching (EF007447)

No

Spring-return (EF001407)

Yes

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Chrome

Suitable for emergency stop (EF001433)

No

Unlocking method (EF001403)

None

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-DP-R with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.