

INDUSTRIAL COMPONENT DATA

M22-DP-R-X 216731 Y7-216731 EATON ELECTRIC Mushroom actuator, red, without button plate, momentary

Brand: EATON - MOELLER | Manufacturer Part Number: M22-DP-R-X



Manufacturer	EATON - MOELLER
MPN / Reference	M22-DP-R-X
Catalog number	Y7-216731
Category	Front element for mushroom push-button
Minimum order	5 Pcs
Document ID	EO-7CD1637067
Generated	2026-08-05

Product Overview

Mushroom actuator, red, without button plate, momentary

M22-DP-R-X

Eaton Moeller® series M22 Mushroom actuator, RMQ-Titan, Mushroom, momentary, Mushroom red, Without button plate, Bezel: titanium

Mushroom actuator, Product range: RMQ-Titan, Single unit, Design: Mushroom, momentary, Color Mushroom: red, button plate: Without button plate, Degree of Protection: IP66, IP67, IP69K, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 22 x 22, Function: momentary, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path

EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Mushroom actuator Catalog Number 216731 Model Code M22-DP-R-X EAN 4015082167318 Product Length/Depth 37 mm Product Height 43 mm Product Width 37 mm Product Weight 0.016 kg

Certifications IEC/EN 60947

CSA

CSA-C22.2 No. 94-91

IEC/EN 60947-5

VDE 0660

CE

CSA-C22.2 No. 14-05

CSA File No.: 012528

UL 508

UL Category Control No.: NKCR

CSA Class No.: 3211-03

UL

UL File No.: E29184

DNV

GL

LR

ETIM for 216731 Low-voltage industrial controls and switchgear (EC001038)

Feature Name

Feature Value

Colour button (EF000190)

Red

Construction type lens (EF006253)

Round

Diameter cap (EF001423)

36.5 mm

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Degree of protection (IP) (EF005474)

IP67/IP69K

Degree of protection (NEMA) (EF011959)

4X, 13

Type of button (EF001546)

Flat

Suitable for lighting (EF001142)

No

With lighting (EF003829)

No

Supply voltage lamp (EF006522)

0 V

Switching function latching (EF007447)

No

Spring-return (EF001407)

Yes

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Chrome

Suitable for emergency stop (EF001433)

No

Unlocking method (EF001403)

None

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-DP-R-X with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.