

## INDUSTRIAL COMPONENT DATA

# M22S-DP-Y-X 216739 Y7-216739 EATON ELECTRIC Mushroom actuator, yellow, without button plate, momentary

Brand: EATON - MOELLER | Manufacturer Part Number: M22S-DP-Y-X



|                 |                                        |
|-----------------|----------------------------------------|
| Manufacturer    | EATON - MOELLER                        |
| MPN / Reference | M22S-DP-Y-X                            |
| Catalog number  | Y7-216739                              |
| Category        | Front element for mushroom push-button |
| Minimum order   | 1 Pcs                                  |
| Document ID     | EO-BE32DEC128                          |
| Generated       | 2026-08-04                             |

## Product Overview

Mushroom actuator, yellow, without button plate, momentary

M22S-DP-Y-X

Eaton Moeller® series M22 Mushroom actuator, RMQ-Titan, Mushroom, momentary, Mushroom yellow, Without button plate, Bezel: black

Mushroom actuator, Product range: RMQ-Titan, Single unit, Design: Mushroom, momentary, Color Mushroom: yellow, button plate: Without button plate, Degree of Protection: IP66, IP67, IP69K, Bezel: black, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 22 x 22, Function: momentary, Standards: IEC/EN 60947, VDE 0660

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path

EATON - MOELLER &gt; Auxiliary Control and Signalling Elements

## Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Mushroom actuator Catalog Number 216739 Model Code M22S-DP-Y-X EAN 4015082167394 Product Length/Depth 37 mm Product Height 43 mm Product Width 37 mm Product Weight 0.016 kg

Certifications UL Category Control No.: NKCR

CE

CSA-C22.2 No. 94-91

CSA Class No.: 3211-03

UL File No.: E29184

VDE 0660

CSA  
UL 508  
IEC/EN 60947  
UL  
CSA File No.: 012528  
IEC/EN 60947-5  
CSA-C22.2 No. 14-05  
DNV  
GL  
LR  
ETIM for 216739 Low-voltage industrial controls and switchgear (EC001038)  
Feature Name  
Feature Value  
Colour button (EF000190)  
Yellow  
Construction type lens (EF006253)  
Round  
Diameter cap (EF001423)  
36.5 mm  
Hole diameter (EF000079)  
22.5 mm  
Width opening (EF004565)  
0 mm  
Height opening (EF004778)  
0 mm  
Degree of protection (IP) (EF005474)  
IP67/IP69K  
Degree of protection (NEMA) (EF011959)  
4X, 13  
Type of button (EF001546)  
Flat  
Suitable for lighting (EF001142)  
No  
With lighting (EF003829)  
No  
Supply voltage lamp (EF006522)  
0 V  
Switching function latching (EF007447)  
No  
Spring-return (EF001407)  
Yes  
With front ring (EF006014)  
Yes  
Material front ring (EF005972)  
Plastic  
Colour front ring (EF002429)  
Black

Suitable for emergency stop (EF001433)

No

Unlocking method (EF001403)

None

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22S-DP-Y-X with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.