


INDUSTRIAL COMPONENT DATA

NZM2-XMC-MB 129961 EATON ELECTRIC Module communication and measurement, 300A, 3P

Brand: EATON - MOELLER | Manufacturer Part Number: NZM2-XMC-MB



Manufacturer	EATON - MOELLER
MPN / Reference	NZM2-XMC-MB
Catalog number	129961
Category	Fieldbus, decentr. periphery - communication module
Minimum order	1 Pcs
Document ID	EO-F4F16296A5
Generated	2026-08-03

Product Overview

Module communication and measurement, 300A, 3P

Optional accessories for circuit-breaker series NZM offers a comprehensive portfolio of application possibilities for worldwide use. Modular functional groups make mounting flexible and simple. Notes: for measuring current, voltage, power and energy. The module has three built-in current transformers and three voltage taps, which are contacted with self-tapping screws, which make contact by penetrating the cable insulation. Power supply 24 VDC, 2 SO pulse outputs, modbus interface (Slave). The total energy consumption value is permanently stored in the module. Display device NZM-XMC-DISP can be connected for local indication of the readings . Can be extended with up to two add-on modules +NZM-XMC. Can be expanded with up to two add-on modules +NZM-XMC-.. Can be used for: NZM 2 ? 300A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Circuit Breakers NZM Accessories
--------------	--

Additional Product Information

ETIM for 129961 PLC's (EC001604)

Feature Name

Feature Value

Supply voltage AC 50 Hz (EF007532)

0 V

Supply voltage AC 60 Hz (EF007533)

0 V

Supply voltage DC (EF007534)

24 V

Voltage type (supply voltage) (EF002991)

DC

Supporting protocol for EtherCAT (EF017564)

No

Supporting protocol for TCP/IP (EF003050)

No

Supporting protocol for PROFIBUS (EF003052)

No

Supporting protocol for CAN (EF003053)

No

Supporting protocol for INTERBUS (EF003054)

No

Supporting protocol for ASI (EF003051)

No

Supporting protocol for KNX (EF003055)

No

Supporting protocol for Modbus (EF003057)

Yes

Supporting protocol for Data-Highway (EF003058)

No

Supporting protocol for DeviceNet (EF003059)

No

Supporting protocol for SUCONET (EF003060)

No

Supporting protocol for LON (EF003017)

No

Supporting protocol for SERCOS (EF006657)

No

Supporting protocol for PROFINET IO (EF007525)

No

Supporting protocol for PROFINET CBA (EF007524)

No

Supporting protocol for Foundation Fieldbus (EF007522)

No

Supporting protocol for EtherNet/IP (EF007521)

No

Supporting protocol for AS-Interface Safety at Work (EF007519)

No

Supporting protocol for DeviceNet Safety (EF007520)

No

Supporting protocol for INTERBUS-Safety (EF006662)

No

Supporting protocol for PROFIsafe (EF007526)

No

Supporting protocol for SafetyBUS p (EF007527)

No

Supporting protocol for other bus systems (EF003062)

No

Radio standard Bluetooth (EF007178)

No

Radio standard WLAN 802.11 (EF007179)

No

Radio standard GPRS (EF008523)

No

Radio standard eGPRS (EF009703)

No

Radio....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / NZM2-XMC-MB with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.