

INDUSTRIAL COMPONENT DATA

PLANETE 400 TUBE ADR CGLine+ LUM17151 EATON

ELECTRIC PLANETE 400 TUBE ADR CGLine+

Brand: EATON - MOELLER | Manufacturer Part Number: PLANETE 400 TUBE ADR CGLine+



Manufacturer	EATON - MOELLER
MPN / Reference	PLANETE 400 TUBE ADR CGLine+
Catalog number	LUM17151
Category	Emergency luminaire
Minimum order	1 Pcs
Document ID	EO-34F83A15EE
Generated	2026-08-06

Product Overview

PLANETE 400 TUBE ADR CGLine+

Eaton Planete 400 Tube, Safety lighting, Escape route and open area, CGLine + technology, LED, Maintained operation, 3lm in mains mode, IP66, 360lm, 1 hour duration

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **EATON - MOELLER > Self contained**

Additional Product Information

ETIM for LUM17151 Luminaires (EC001957)

Feature Name

Feature Value

Mounting method (EF000003)

Surface mounting/recessed mounting

Suitable for labelling type (EF001277)

Other

With pictogram (EF011099)

No

Monitoring equipment (EF008091)

Safety module for monitoring (central feeded system)

With remote switch connection (EF007947)

Yes

Power supply system (EF000233)
Peripheral (individual battery)
Battery technology (EF004351)
NiCd
Lamp type (EF002423)
LED non-replaceable
With light source (EF005905)
Yes
Suitable for number of light sources (EF006436)
1
Lamp holder (EF000048)
Other
Number of lighting heads (EF004258)
24
Housing material (EF001596)
Plastic
Housing colour (EF000136)
White
Material cover (EF004284)
Plastic transparent
Voltage type (EF000187)
AC
Nominal voltage (EF005127)
230 V
Type of control gear (EF000381)
Electronic transformer
Light distributor (EF012170)
Reflector
Degree of protection (IP) (EF005474)
IP66
Impact strength (EF004293)
IK10
Protection class according to IEC 61140 (EF000004)
II
Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 (EF006420)
No
Rated ambient temperature according to IEC 62722-2-1 (EF012090)
5 °C
Max. system power (EF009347)
1.1 W
Rated luminous flux according to IEC 62722-2-1 (EF009349)
360 lm
Luminous flux in standby mode (EF011954)
3 lm
Colour temperature (EF009346)
5053 K
Power factor (EF025740)

0.546

Nominal operation time (EF012518)

1 h

Width (EF000008)

100 mm

Height/depth (EF001456)

125 mm

Length (EF0...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / PLANETE 400 TUBE ADR CGLine+ with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.