

INDUSTRIAL COMPONENT DATA

M22-D-R-X0/KC11/I 216521 Y7-216521 EATON ELECTRIC

Pushbutton actuator, 1N/O+1N/C, flush, red, surface mounti..

Brand: EATON - MOELLER | Manufacturer Part Number: M22-D-R-X0/KC11/I



Manufacturer	EATON - MOELLER
MPN / Reference	M22-D-R-X0/KC11/I
Catalog number	Y7-216521
Category	Control circuit devices combination in enclosure
Minimum order	1 Pcs
Document ID	EO-1CEA18CF02
Generated	2026-08-04

Product Overview

Pushbutton actuator, 1N/O+1N/C, flush, red, surface mounting

M22-D-R-X0/KC11/I

Eaton Moeller® series M22 Pushbutton, RMQ-Titan, Enclosure, momentary, 1 NC, 1 N/O, red, inscribed, Bezel: titanium
Pushbutton complete device in insulated-material surface mounting enclosure, with contacts 1 N/O 1 N/C, momentary,
RMQ system, design: flush, button plate, red, flush mounting plate, diameter 22.3mm, clip-fit assembly, bezel color silver,
degree of protection IP67, 69K, inscription: O

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Auxiliary Control and Signalling Elements
--------------	---

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Pushbutton Catalog Number 216521 Model Code M22-D-R-X0/KC11/I EAN 4015082165215 Product Length/Depth 70 mm Product Height 70 mm Product Width 72 mm Product Weight 0.185 kg

Certifications IEC/EN 60947

VDE 0660

CSA

CSA Class No.: 3211-03

CSA-C22.2 No. 94-91

UL

CSA-C22.2 No. 14-05

IEC/EN 60947-5

UL Category Control No.: NKCR

CSA File No.: 012528

CE

UL 508 Catalog Notes Contacts with safety function, by positive opening to IEC/EN 60947-5-1

ETIM for 216521 Low-voltage industrial controls and switchgear (EC000225)

Feature Name

Feature Value

Number of command positions (EF001372)

1

Number of push buttons (EF005558)

1

Number of indicator lights (EF001965)

0

Number of key switches (EF005590)

0

Number of selector switches (EF005567)

0

Number of mushroom-shaped push-buttons (EF006670)

0

Suitable for emergency stop (EF001433)

No

Rated control supply voltage AC 50 Hz (EF003978)

115 V

Rated control supply voltage AC 60 Hz (EF003979)

115 V

Rated control supply voltage DC (EF003980)

24 V

Colour housing cover (EF001373)

Grey

Housing colour (EF000136)

Grey

Housing material (EF001596)

Plastic

Number of contacts as normally open contact (EF008256)

1

Number of contacts as normally closed contact (EF008255)

1

Number of contacts as change-over contact (EF008257)

0

Degree of protection (IP) (EF005474)

IP67/IP69K

Degree of protection (NEMA) (EF011959)

4X, 13

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-D-R-X0/KC11/I with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.