

INDUSTRIAL COMPONENT DATA

M22-DDLM-WS-X1/X0 284832 Y7-284832 EATON ELECTRIC

Double actuator pushbutton, +indicator light, flush, white..

Brand: EATON - MOELLER | Manufacturer Part Number: M22-DDLM-WS-X1/X0



Manufacturer	EATON - MOELLER
MPN / Reference	M22-DDLM-WS-X1/X0
Catalog number	Y7-284832
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-33CB86E54B
Generated	2026-08-01

Product Overview

Double actuator pushbutton, +indicator light, flush, white I, white, off switch raised black 0

M22-DDLM-WS-X1/X0

Eaton Moeller® series M22 Double actuator pushbutton, RMQ-Titan, Pushbutton actuator I and indicator light flush, pushbutton actuator 0 non-flush, momentary, White lens, white, black, inscribed, Bezel: titanium

Double actuator pushbutton, Product range: RMQ-Titan, Single unit, Design: Pushbutton actuator I and indicator light flush, pushbutton actuator 0 non-flush, momentary, Description: White lens, button plate: white, black, Button plate inscribed, Degree of Protection: IP66, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7 x 54,7, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Double actuator pushbutton Catalog Number 284832 Model Code

M22-DDLM-WS-X1/X0 EAN 4015082848323 Product Length/Depth 30 mm Product Height 55 mm Product Width 30 mm

Product Weight 0.015 kg Compliances Bureau Veritas

GoST-R

CE Marked Certifications CCC Marked

CSA Certified

Lloyd's Register Certified

CSA-C22.2 No. 14-05

CSA-C22.2 No. 94-91

IEC/EN 60947

IEC/EN 60947-5

CE

UL 508

VDE 0660

DNV

GL

LR Catalog Notes Includes contact block mounting adapter.

ETIM for 284832 Low-voltage industrial controls and switchgear (EC000221)

Feature Name

Feature Value

Colour button (EF000190)

Black and white

Number of command positions (EF001372)

2

Construction type lens (EF006253)

Oval

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Type of button (EF001546)

Flat

Suitable for lighting (EF001142)

Yes

With protective cover (EF005500)

No

Labelled (EF001537)

Yes

Switching function latching (EF007447)

No

Spring-return (EF001407)

Yes

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Chrome

Degree of protection (IP), front side (EF003118)

IP66

Degree of protection (NEMA), front side (EF011961)

4X

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-DDLM-WS-X1/X0 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.