

INDUSTRIAL COMPONENT DATA

M22S-DDL-*.~.* 230350 Y7-230350 EATON ELECTRIC Double actuator pushbutton, +indicator light, white , white, ..

Brand: EATON - MOELLER | Manufacturer Part Number: M22S-DDL-*.~.*



Manufacturer	EATON - MOELLER
MPN / Reference	M22S-DDL-*.~.*
Catalog number	Y7-230350
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-030F0BEBE4
Generated	2026-08-03

Product Overview

Double actuator pushbutton, +indicator light, white , white, off switch raised black, facility for inscription

M22S-DDL-*.~.*

Eaton Moeller® series M22 Double actuator pushbutton, RMQ-Titan, Actuators and indicator lights non-flush, momentary, White lens, selectable, individual facility for inscription, Bezel: black

Double actuator pushbutton, Product range: RMQ-Titan, Single unit, Design: Actuators and indicator lights non-flush, momentary, Description: White lens, button plate: selectable, Button plate individual facility for inscription, Degree of Protection: IP66, Bezel: black, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7 x 54,7, Ordering information: Notes on customized inscription -> Data sheet, additional product information (links), Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Auxiliary Control and Signalling Elements
--------------	---

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Double actuator pushbutton Catalog Number 230350 Model Code

M22S-DDL-*.~.* Product Length/Depth 30 mm Product Height 55 mm Product Width 30 mm Product Weight 0.015 kg

Certifications CSA

UL 508

IEC/EN 60947-5

CE

UL

CSA File No.: 012528

IEC/EN 60947

UL Category Control No.: NKCR

CSA Class No.: 3211-03

CSA-C22.2 No. 14-05

VDE 0660

CSA-C22.2 No. 94-91

UL File No.: E29184

DNV

GL

LR Catalog Notes Notes on customized inscription -> Data sheet, additional product information (links)

ETIM for 230350 Low-voltage industrial controls and switchgear (EC000221)

Feature Name

Feature Value

Colour button (EF000190)

Other

Number of command positions (EF001372)

2

Construction type lens (EF006253)

Oval

Hole diameter (EF000079)

22.5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

Type of button (EF001546)

Flat

Suitable for lighting (EF001142)

Yes

With protective cover (EF005500)

No

Labelled (EF001537)

Yes

Switching function latching (EF007447)

No

Spring-return (EF001407)

Yes

With front ring (EF006014)

Yes

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Black

Degree of protection (IP), front side (EF003118)

IP66

Degree of protection (NEMA), front side (EF011961)

4X

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22S-DDL-*-*-* with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.