

INDUSTRIAL COMPONENT DATA

M22S-DDLM-GR-X1/X0 284831 Y7-284831 EATON ELECTRIC

Double actuator pushbutton, +indicator light, flush, gree..

Brand: EATON - MOELLER | Manufacturer Part Number: M22S-DDLM-GR-X1/X0



Manufacturer	EATON - MOELLER
MPN / Reference	M22S-DDLM-GR-X1/X0
Catalog number	Y7-284831
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-8268E02BD7
Generated	2026-08-04

Product Overview

Double actuator pushbutton, +indicator light, flush, green I, white, off switch raised red 0

M22S-DDLM-GR-X1/X0

Eaton Moeller® series M22 Double actuator pushbutton, RMQ-Titan, Pushbutton actuator I and indicator light flush, pushbutton actuator 0 non-flush, momentary, White lens, green, red, inscribed, Bezel: black

Double actuator pushbutton, Product range: RMQ-Titan, Single unit, Design: Pushbutton actuator I and indicator light flush, pushbutton actuator 0 non-flush, momentary, Description: White lens, button plate: green, red, Button plate inscribed, Degree of Protection: IP66, Bezel: black, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7 x 54,7, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Auxiliary Control and Signalling Elements

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Double actuator pushbutton Catalog Number 284831 Model Code

M22S-DDLM-GR-X1/X0 EAN 4015082848316 Product Length/Depth 30 mm Product Height 55 mm Product Width 30 mm

Product Weight 0.015 kg Certifications IEC/EN 60947-5

CSA-C22.2 No. 94-91

IEC/EN 60947

UL 508

CSA-C22.2 No. 14-05

CE
VDE 0660
DNV
GL
LR
ETIM for 284831 Low-voltage industrial controls and switchgear (EC000221)
Feature Name
Feature Value
Colour button (EF000190)
Red/green
Number of command positions (EF001372)
2
Construction type lens (EF006253)
Oval
Hole diameter (EF000079)
22.5 mm
Width opening (EF004565)
0 mm
Height opening (EF004778)
0 mm
Type of button (EF001546)
Flat
Suitable for lighting (EF001142)
Yes
With protective cover (EF005500)
No
Labelled (EF001537)
Yes
Switching function latching (EF007447)
No
Spring-return (EF001407)
Yes
With front ring (EF006014)
Yes
Material front ring (EF005972)
Plastic
Colour front ring (EF002429)
Black
Degree of protection (IP), front side (EF003118)
IP66
Degree of protection (NEMA), front side (EF011961)
4X

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22S-DDLM-GR-X1/X0 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.