

INDUSTRIAL COMPONENT DATA

M22-D-B 216600 Y7-216600 EATON ELECTRIC Pushbutton, flush, blue, momentary

Brand: EATON - MOELLER | Manufacturer Part Number: M22-D-B



Manufacturer	EATON - MOELLER
MPN / Reference	M22-D-B
Catalog number	Y7-216600
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-EEF051DE19
Generated	2026-07-31

Product Overview

Pushbutton, flush, blue, momentary

M22-D-B

Eaton Moeller® series M22 Pushbutton, RMQ-Titan, Flat, momentary, Blue, Blank, Bezel: titanium

Pushbutton, Product range: RMQ-Titan, Single unit, Design: Flat, momentary, button plate: Blue, Button plate Blank,

Degree of Protection: IP66, IP67, IP69K, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections,

Front dimensions: 22 x 22, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > Auxiliary Control and Signalling Elements
--------------	---

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 pushbutton

Catalog Number 216600

Model Code M22-D-B

EAN 4015082166007

Product Length/Depth 30 mm

Product Height 30 mm

Product Width 30 mm

Product Weight 0.009 kg

Compliances CE Marked

Certifications CSA Std. C22.2 No. 94-91

CSA Std. C22.2 No. 14-05

EN 60947-5

UL 508

IEC 60947-5

VDE

CSA File No.: 012528

CSA-C22.2 No. 94-91

CSA Class No.: 3211-03

UL Category Control No.: NKCR

VDE 0660

IEC/EN 60947-5

IEC/EN 60947

CSA

CSA-C22.2 No. 14-05

UL

UL File No.: E29184

CE

DNV

GL

LR

Product specifications

Type Pushbutton actuator

Actuator color Blue

Actuator function Momentary

Spring-return

10.10 Temperature rise Not applicable.

10.11 Short-circuit rating Is the panel builder's responsibility. The specifications for the switchgear must be observed.

10.12 Electromagnetic compatibility Is the panel builder's responsibility. The specifications for the switchgear must be observed.

10.13 Mechanical function The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

10.2.2 Corrosion resistance Meets the product standard's requirements.

10.2.3.1 Verification of thermal stability of enclosures Meets the product standard's requirements.

10.2.3.2 Verification of resistance of insulating materials to normal heat Meets the product standard's requirements.

10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects Meets the product standard's requirements.

10.2.4 Resistance...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-D-B with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.