

INDUSTRIAL COMPONENT DATA

M22-D-X 216602 Y7-216602 EATON ELECTRIC Pushbutton, flush, without button plate, momentary

Brand: EATON - MOELLER | Manufacturer Part Number: M22-D-X



Manufacturer	EATON - MOELLER
MPN / Reference	M22-D-X
Catalog number	Y7-216602
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-0CD2369BEB
Generated	2026-08-03

Product Overview

Pushbutton, flush, without button plate, momentary

M22-D-X

Eaton Moeller® series M22 Pushbutton, RMQ-Titan, momentary, Without button plate, Bezel: titanium

Pushbutton, Product range: RMQ-Titan, Single unit, momentary, button plate: Without button plate, Degree of Protection:

IP66, IP67, IP69K, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 22 x

22, Standards: IEC/EN 60947, VDE 0660

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **EATON - MOELLER > Auxiliary Control and Signalling Elements**

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Pushbutton Catalog Number 216602 Model Code M22-D-X EAN

4015082166021 Product Length/Depth 30 mm Product Height 30 mm Product Width 30 mm Product Weight 0.009 kg

Compliances CE Marked Certifications IEC 60947-5

CSA Std. C22.2 No. 14-05

EN 60947-5

CSA Std. C22.2 No. 94-91

UL 508

VDE

CSA-C22.2 No. 94-91

UL File No.: E29184
CSA File No.: 012528
CSA
IEC/EN 60947
CSA Class No.: 3211-03
IEC/EN 60947-5
CE
CSA-C22.2 No. 14-05
UL
UL Category Control No.: NKCR
VDE 0660
DNV
GL
LR
ETIM for 216602 Low-voltage industrial controls and switchgear (EC000221)
Feature Name
Feature Value
Colour button (EF000190)
Without button plate
Number of command positions (EF001372)
1
Construction type lens (EF006253)
Round
Hole diameter (EF000079)
22.5 mm
Width opening (EF004565)
0 mm
Height opening (EF004778)
0 mm
Type of button (EF001546)
Flat
Suitable for lighting (EF001142)
No
With protective cover (EF005500)
No
Labelled (EF001537)
No
Switching function latching (EF007447)
No
Spring-return (EF001407)
Yes
With front ring (EF006014)
Yes
Material front ring (EF005972)
Plastic
Colour front ring (EF002429)
Titanium

Degree of protection (IP), front side (EF003118)

IP67/IP69K

Degree of protection (NEMA), front side (EF011961)

4X

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-D-X with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.