

INDUSTRIAL COMPONENT DATA

T3-3-8228/EZ 000695 Y7-695 EATON ELECTRIC Reversing switches, Contacts: 5, 32 A, front plate: 1 0 2, 45 °, m..

Brand: EATON - MOELLER | Manufacturer Part Number: T3-3-8228/EZ



Manufacturer	EATON - MOELLER
MPN / Reference	T3-3-8228/EZ
Catalog number	Y7-695
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-31A35508D7
Generated	2026-08-03

Product Overview

Reversing switches, Contacts: 5, 32 A, front plate: 1>0000

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **EATON - MOELLER > Disconnectors and Cam Switches**

Additional Product Information

General specifications

Product Name Eaton Moeller® series T3 Reversing switch Catalog Number 000695 Model Code T3-3-8228/EZ EAN 4015080006954 Product Length/Depth 124 mm Product Height 54 mm Product Width 61 mm Product Weight 0.233 kg Certifications CSA File No.: 012528

CE

IEC/EN 60947

VDE 0660

UL 60947-4-1

CSA-C22.2 No. 94

UL

CSA-C22.2 No. 60947-4-1-14

IEC/EN 60947-3

CSA

UL Category Control No.: NLRV

IEC/EN 60204

UL File No.: E36332

CSA Class No.: 3211-05 Catalog Notes Rated Short-time Withstand Current (I_{cs}) for a time of 1 second

ETIM for 000695 Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Model (EF000010)

Reversing switch

Number of poles (EF001391)

3

With zero (off) position (EF001416)

Yes

With retraction in 0-position (EF002428)

Yes

Rated permanent current I_u (EF001389)

32 A

Rated operation current I_e at AC-3, 400 V (EF001392)

23.7 A

Rated operation power at AC-3, 400 V (EF001364)

12 kW

Degree of protection (IP), front side (EF003118)

IP65

Degree of protection (NEMA), front side (EF011961)

12

Number of auxiliary contacts as normally closed contact (EF001377)

0

Number of auxiliary contacts as normally open contact (EF001376)

0

Number of auxiliary contacts as change-over contact (EF003531)

0

Suitable for floor mounting (EF007243)

No

Suitable for front mounting (EF007246)

Yes

Suitable for distribution board installation (EF007262)

No

Suitable for intermediate mounting (EF007264)

No

Complete device in housing (EF007317)

No

Housing mat...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / T3-3-8228/EZ with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.