

INDUSTRIAL COMPONENT DATA

Eaton 9155-20-NL-10-2x7Ah-MBS (1026605 EATON ELECTRIC Eaton 9155-20-NL-10-2x7Ah-MBS (batteries 10 years)

Brand: EATON - MOELLER | Manufacturer Part Number: Eaton 9155-20-NL-10-2x7Ah-MBS (



Manufacturer	EATON - MOELLER
MPN / Reference	Eaton 9155-20-NL-10-2x7Ah-MBS (
Catalog number	1026605
Category	UPS
Minimum order	1 Pcs
Document ID	EO-9721AF5A6D
Generated	2026-08-06

Product Overview

Eaton 9155-20-NL-10-2x7Ah-MBS (batteries 10 years)

Eaton 9155 UPS, Tower Online UPS, 20 kVA, 3 phase in/1 phase out, Power factor 0,9, Internal Maintenance Bypass Switch - 1026605 9155-20-NL-10-2x7Ah-MBS

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER
--------------	-----------------

Additional Product Information

ETIM for 1026605 Data networking products (EC000382)

Feature Name

Feature Value

Input voltage (EF003840)

380 V

Primary frequency (EF009272)

50 Hz

Number of phases primary (EF009275)

3

Output voltage (EF003933)

380 V

Secondary frequency (EF009273)

50 Hz

Output effective power (EF009897)
18000 W

Output apparent power (EF009898)
20000 VA

Power consumption (EF000346)
None W

USB interface (EF002039)
With communication interface RS-232 (EF007312)

Number of phases secondary (EF009274)
1

SNMP (EF005284)
true

Voltage type (EF000187)
AC

Height (EF000040)
1684 mm

Width (EF000008)
762 mm

Depth (EF000049)
494 mm

Weight (EF000167)
350 kg

Bridging time full load (EF000428)
None min

Suitable for network-management (EF000432)
true

USV- technology (EF005380)
Online

Construction type (EF000767)
Freestanding model
Modular (EF007977)
false

Max. voltage distortion output (linear load) (EF009404)
None %

Output power factor (EF009405)
0.9

Overall efficiency (EF009406)
0 %

Efficiency in eco-mode (EF009407)
None %

Potential free switch contact (EF003626)
true

Auto shut down function (EF009276)
true

Input connection (EF009726)
Fixed connection

Number of output connections C13 (EF009727)

0

Number of output connections C19 (EF009728)

0

Number of output connections with protective contact CEE 7/3 (type F) (EF009729)

0

Number of output connections fixed connection (EF009730)

1

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / Eaton 9155-20-NL-10-2x7Ah-MBS (with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.