

INDUSTRIAL COMPONENT DATA

M22-WRK3 216872 Y7-216872 EATON ELECTRIC Selector switch, toggle, 3 positions, black, maintained

Brand: EATON - MOELLER | Manufacturer Part Number: M22-WRK3



Manufacturer	EATON - MOELLER
MPN / Reference	M22-WRK3
Catalog number	Y7-216872
Category	Front element for selector switch
Minimum order	1 unit
Document ID	EO-E8C9F7FA47
Generated	2026-08-01

Product Overview

Selector switch, toggle, 3 positions, black, maintained

M22-WRK3

Eaton Moeller® series M22 Selector switch, RMQ-Titan, With thumb-grip, maintained, 3 positions, Bezel: titanium
Changeover switch, Product range: RMQ-Titan, Single unit, Design: With thumb-grip, maintained, 3 positions, Degree of Protection: IP66, Bezel: titanium, Connection to SmartWire-DT: yes, with SWD-RMQ connections, Front dimensions: 29,7, Instructions: Stay-put/spring-return function, can be changed with coding parts M22-XC-Y, with plunger bridge for the middle contact, Standards: IEC/EN 60947, VDE 0660, Degree of Protection: IP66

STRUCTURED PRODUCT DATA

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Number of switch positions (EF000231)	3
Type of control element (EF006976)	Toggle
Suitable for lighting (EF001142)	No
Colour control element (EF007167)	Black
Colour indicator light cap (EF007165)	Other
Construction type lens (EF006253)	Round
Hole diameter (EF000079)	22.5 mm
Width opening (EF004565)	0 mm
Height opening (EF004778)	0 mm
Switching function latching (EF007447)	Yes
Spring-return (EF001407)	No

CONTINUED**Technical Specifications**

TECHNICAL ATTRIBUTE	VALUE
With front ring (EF006014)	Yes
Material front ring (EF005972)	Plastic
Colour front ring (EF002429)	Titanium
Degree of protection (IP), front side (EF003118)	IP66
Degree of protection (NEMA) (EF011959)	4X, 13

Classification & Catalog Path

Catalog path	EATON - MOELLER > Auxiliary Control and Signalling Elements
--------------	---

Additional Product Information

General specifications

Product Name Eaton Moeller® series M22 Selector switch

Catalog Number 216872

Model Code M22-WRK3

EAN 4015082168728

Product Length/Depth 46 mm

Product Height 30 mm

Product Width 30 mm

Product Weight 0.013 kg

Compliances CE Marked

Certifications EN 60947-5

CSA Std. C22.2 No. 94-91

CSA Std. C22.2 No. 14-05

UL 508

IEC 60947-5

VDE

CSA File No.: 012528

IEC/EN 60947-5

VDE 0660

IEC/EN 60947

CE

CSA

CSA Class No.: 3211-03

CSA-C22.2 No. 14-05

UL

UL Category Control No.: NKCR

CSA-C22.2 No. 94-91

UL File No.: E29184

DNV

GL

LR

Features & Functions

Bezel color Titanium

Bezel material Plastic

Color Black

Design With thumb-grip

Classical

Fitted with: Plunger bridge for the middle contact

Front ring

Functions Stay-put/spring-return function, can be changed with coding parts M22-XC-Y

General information

Degree of protection NEMA 4X, 13

Degree of protection (front side) IP66

Lifespan, mechanical 100,000 Operations

Opening diameter 22.5 mm

Operating frequency 2000 Operations/h

Operating torque 0.3 Nm

Overvoltage category III

Pollution degree 3

Product category RMQ-Titan

Product ca...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / M22-WRK3 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.