

INDUSTRIAL COMPONENT DATA

Z-BEL/R230 284929 Y7-284929 EATON ELECTRIC Single light, 230AC/DC, red

Brand: EATON - MOELLER | Manufacturer Part Number: Z-BEL/R230



Manufacturer	EATON - MOELLER
MPN / Reference	Z-BEL/R230
Catalog number	Y7-284929
Category	Indicator light complete
Minimum order	1 Pcs
Document ID	EO-A494C712D2
Generated	2026-08-03

Product Overview

Single light, 230AC/DC, red

Z-BEL/R230

Eaton Distribution parts. Single light, 230AC/DC, red, flashing

Single lamp with integrated flashing function, LED rated operating voltage 230V AC/DC, LED color red, luminosity 15mcd, heat dissipation 2W/LED, flashing frequency norm. 2 Hz, standard front dimension 45 mm, mounting width 1 SU (17.5mm), top-hat rail mounting, terminal cross-section 1-10 mm², type conform to IEC/EN 60669, VDE 0632

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Modular Switchgear - Others and Accessories

Additional Product Information

General specifications

Product Name Eaton Distribution parts Catalog Number 284929 Model Code Z-BEL/R230 EAN 4015082849290 Product Length/Depth 80 mm Product Height 65.5 mm Product Width 17.5 mm Product Weight 0.065 kg Compliances RoHS conform Product specifications

Electric connection type Screw connection Fitted with: Light source Equipment heat dissipation, current-dependent 2 W Bezel color Other Lamp socket type LED Number of pilot lights 1 Opening diameter 5 mm Opening height 0 mm Bezel material Plastic Degree of protection IP40

NEMA Other Lens color Red Voltage type AC/DC Width opening 0 mm Rated operating voltage (Ue) - max 240 V Rated operating voltage (Ue) - min 110 V Lens type Flat Round

ETIM for 284929 Low-voltage industrial controls and switchgear (EC000272)

Feature Name

Feature Value

Number of indicator lights (EF001965)

1

Colour lens (EF000207)

Red

Type of lamp socket (EF008229)

LED

With light source (EF005905)

Yes

Rated operating voltage Ue (EF002418)

110 V

Voltage type (EF000187)

AC/DC

Type of electric connection (EF003961)

Screw connection

Construction type lens (EF006253)

Round

Type of lens (EF008343)

Flat

Hole diameter (EF000079)

5 mm

Width opening (EF004565)

0 mm

Height opening (EF004778)

0 mm

With front ring (EF006014)

No

Material front ring (EF005972)

Plastic

Colour front ring (EF002429)

Other

Degree of protection (IP) (EF005474)

IP40

Degree of protection (NEMA) (EF011959)

Other

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / Z-BEL/R230 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.