

INDUSTRIAL COMPONENT DATA

SPI650A0-4A3N2 177314 Y7-177314 EATON ELECTRIC SPI650A0-4A3N2

Brand: EATON - MOELLER | Manufacturer Part Number: SPI650A0-4A3N2



Manufacturer	EATON - MOELLER
MPN / Reference	SPI650A0-4A3N2
Catalog number	Y7-177314
Category	Frequency converter less than 1 kV
Minimum order	1 unit
Document ID	EO-A4AAFCDBFF
Generated	2026-08-03

Product Overview

SPI650A0-4A3N2
Inverter Unit 380-500V 730A

STRUCTURED PRODUCT DATA

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Mains frequency (EF006783)	50/60 Hz
With control element (EF001538)	No
Application in industrial area permitted (EF007294)	No
Application in domestic- and commercial area permitted (EF007295)	No
Supporting protocol for TCP/IP (EF003050)	No
Supporting protocol for PROFIBUS (EF003052)	No
Supporting protocol for CAN (EF003053)	No
Supporting protocol for INTERBUS (EF003054)	No
Supporting protocol for ASI (EF003051)	No
Supporting protocol for KNX (EF003055)	No
Supporting protocol for Modbus (EF003057)	No
Supporting protocol for Data-Highway (EF003058)	No
Supporting protocol for DeviceNet (EF003059)	No
Supporting protocol for SUCONET (EF003060)	No
Supporting protocol for LON (EF003017)	No

CONTINUED

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Supporting protocol for PROFINET IO (EF007525)	No
Supporting protocol for PROFINET CBA (EF007524)	No
Supporting protocol for SERCOS (EF006657)	No
Supporting protocol for Foundation Fieldbus (EF007522)	No
Supporting protocol for EtherNet/IP (EF007521)	No
Supporting protocol for AS-Interface Safety at Work (EF007519)	No
Supporting protocol for DeviceNet Safety (EF007520)	No
Supporting protocol for INTERBUS-Safety (EF006662)	No
Supporting protocol for PROFIsafe (EF007526)	No
Supporting protocol for SafetyBUS p (EF007527)	No
Supporting protocol for BACnet (EF011944)	No
Supporting protocol for other bus systems (EF003062)	No
With optical interface (EF003028)	No
With PC connection (EF006107)	No
Integrated breaking resistance (EF007293)	No
4-quadrant operation possible (EF006803)	No
Type of converter (EF006978)	Other
Degree of protection (IP) (EF005474)	Other
Degree of protection (NEMA) (EF011959)	Other
Height (EF000040)	552 mm
Width (EF000008)	478 mm
Depth (EF000049)	1032 mm

Classification & Catalog Path

Catalog path	EATON - MOELLER > Eaton Frequency Converters
--------------	--

Additional Product Information

ETIM for 177314 Low-voltage industrial controls and switchgear (EC001857)

Feature Name

Feature Value

Mains frequency (EF006783)

50/60 Hz

With control element (EF001538)

No

Application in industrial area permitted (EF007294)

No
Application in domestic- and commercial area permitted (EF007295)
No
Supporting protocol for TCP/IP (EF003050)
No
Supporting protocol for PROFIBUS (EF003052)
No
Supporting protocol for CAN (EF003053)
No
Supporting protocol for INTERBUS (EF003054)
No
Supporting protocol for ASI (EF003051)
No
Supporting protocol for KNX (EF003055)
No
Supporting protocol for Modbus (EF003057)
No
Supporting protocol for Data-Highway (EF003058)
No
Supporting protocol for DeviceNet (EF003059)
No
Supporting protocol for SUCONET (EF003060)
No
Supporting protocol for LON (EF003017)
No
Supporting protocol for PROFINET IO (EF007525)
No
Supporting protocol for PROFINET CBA (EF007524)
No
Supporting protocol for SERCOS (EF006657)
No
Supporting protocol for Foundation Fieldbus (EF007522)
No
Supporting protocol for EtherNet/IP (EF007521)
No
Supporting protocol for AS-Interface Safety at Work....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / SPI650A0-4A3N2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.