

INDUSTRIAL COMPONENT DATA

SPX015A1-4A1B2 143110 Y7-143110 EATON ELECTRIC
SPX015A1-4A1B2

Brand: EATON - MOELLER | Manufacturer Part Number: SPX015A1-4A1B2



Manufacturer	EATON - MOELLER
MPN / Reference	SPX015A1-4A1B2
Catalog number	Y7-143110
Category	Frequency converter less than 1 kV
Minimum order	1 unit
Document ID	EO-2B0C416911
Generated	2026-08-04

Product Overview

SPX015A1-4A1B2

SPX FreqD 11kW 480V IP21 w/Br w/coat

STRUCTURED PRODUCT DATA

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Mains frequency (EF006783)	50/60 Hz
With control element (EF001538)	No
Application in industrial area permitted (EF007294)	No
Application in domestic- and commercial area permitted (EF007295)	No
Supporting protocol for TCP/IP (EF003050)	No
Supporting protocol for PROFIBUS (EF003052)	No
Supporting protocol for CAN (EF003053)	No
Supporting protocol for INTERBUS (EF003054)	No
Supporting protocol for ASI (EF003051)	No
Supporting protocol for KNX (EF003055)	No
Supporting protocol for Modbus (EF003057)	No
Supporting protocol for Data-Highway (EF003058)	No
Supporting protocol for DeviceNet (EF003059)	No
Supporting protocol for SUCONET (EF003060)	No
Supporting protocol for LON (EF003017)	No

CONTINUED

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Supporting protocol for PROFINET IO (EF007525)	No
Supporting protocol for PROFINET CBA (EF007524)	No
Supporting protocol for SERCOS (EF006657)	No
Supporting protocol for Foundation Fieldbus (EF007522)	No
Supporting protocol for EtherNet/IP (EF007521)	No
Supporting protocol for AS-Interface Safety at Work (EF007519)	No
Supporting protocol for DeviceNet Safety (EF007520)	No
Supporting protocol for INTERBUS-Safety (EF006662)	No
Supporting protocol for PROFIsafe (EF007526)	No
Supporting protocol for SafetyBUS p (EF007527)	No
Supporting protocol for BACnet (EF011944)	No
Supporting protocol for other bus systems (EF003062)	No
With optical interface (EF003028)	No
With PC connection (EF006107)	No
Integrated breaking resistance (EF007293)	No
4-quadrant operation possible (EF006803)	No
Type of converter (EF006978)	Other
Degree of protection (IP) (EF005474)	Other
Degree of protection (NEMA) (EF011959)	Other
Height (EF000040)	214 mm
Width (EF000008)	144 mm
Depth (EF000049)	419 mm

Classification & Catalog Path

Catalog path	EATON - MOELLER > Eaton Frequency Converters
--------------	--

Additional Product Information

ETIM for 143110 Low-voltage industrial controls and switchgear (EC001857)

Feature Name

Feature Value

Mains frequency (EF006783)

50/60 Hz

With control element (EF001538)

No

Application in industrial area permitted (EF007294)

No
Application in domestic- and commercial area permitted (EF007295)
No
Supporting protocol for TCP/IP (EF003050)
No
Supporting protocol for PROFIBUS (EF003052)
No
Supporting protocol for CAN (EF003053)
No
Supporting protocol for INTERBUS (EF003054)
No
Supporting protocol for ASI (EF003051)
No
Supporting protocol for KNX (EF003055)
No
Supporting protocol for Modbus (EF003057)
No
Supporting protocol for Data-Highway (EF003058)
No
Supporting protocol for DeviceNet (EF003059)
No
Supporting protocol for SUCONET (EF003060)
No
Supporting protocol for LON (EF003017)
No
Supporting protocol for PROFINET IO (EF007525)
No
Supporting protocol for PROFINET CBA (EF007524)
No
Supporting protocol for SERCOS (EF006657)
No
Supporting protocol for Foundation Fieldbus (EF007522)
No
Supporting protocol for EtherNet/IP (EF007521)
No
Supporting protocol for AS-Interface Safety at Work....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / SPX015A1-4A1B2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.