

INDUSTRIAL COMPONENT DATA

RZ 22011 LED CG-S(SET) ISO 7010 40071350653 EATON ELECTRIC Style 22011 CG-S (OPAL DIFUSSER & PICTOGRAM)

Brand: EATON - MOELLER | Manufacturer Part Number: RZ 22011 LED CG-S(SET) ISO 7010



Manufacturer	EATON - MOELLER
MPN / Reference	RZ 22011 LED CG-S(SET) ISO 7010
Catalog number	40071350653
Category	Emergency luminaire
Minimum order	1 Pcs
Document ID	EO-33E7A681C5
Generated	2026-08-06

Product Overview

Style 22011 CG-S (OPAL DIFUSSER & PICTOGRAM)

Eaton Style 22011 LED CG-S (SET) ISO 7010

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Central Battery System

Additional Product Information

ETIM for 40071350653 Luminaires (EC001957)

Feature Name

Feature Value

Mounting method (EF000003)

Wall surface mounted

Suitable for labelling type (EF001277)

Sticker

With pictogram (EF011099)

Yes

Monitoring equipment (EF008091)

Safety module for monitoring (central feeded system)

With remote switch connection (EF007947)

Yes

Power supply system (EF000233)

Central (central battery)

Lamp type (EF002423)

LED non-replaceable

With light source (EF005905)

Yes

Lamp holder (EF000048)

None

Housing material (EF001596)

Plastic

Housing colour (EF000136)

Grey

Material cover (EF004284)

Plastic opal

Voltage type (EF000187)

DC

Nominal voltage (EF005127)

220 V

Type of control gear (EF000381)

LED driver constant current

Light distributor (EF012170)

Diffuser

Degree of protection (IP) (EF005474)

IP41

Impact strength (EF004293)

IK03

Protection class according to IEC 61140 (EF000004)

II

Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 (EF006420)

Yes

Rated ambient temperature according to IEC 62722-2-1 (EF012090)

-20 °C

Max. system power (EF009347)

4.4 W

Power factor (EF025740)

0.579

Recognition distance (EF008732)

32 m

Width (EF000008)

197 mm

Height/depth (EF001456)

60 mm

Length (EF001438)

340 mm

Type of wiring (EF011868)

Through wiring included

Number of poles (EF001391)

3

Conductor cross section (EF000085)

2.5 mm²

Connection type (EF000124)

Screw connection

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / RZ 22011 LED CG-S(SET) ISO 7010 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.