

## INDUSTRIAL COMPONENT DATA

**SVX007A1-5A4B1 138484 EATON ELECTRIC Variable frequency drive, 600 V AC, 3-phase, 10 A, IP21, Radio interfer..**

Brand: EATON - MOELLER | Manufacturer Part Number: SVX007A1-5A4B1



|                 |                                    |
|-----------------|------------------------------------|
| Manufacturer    | EATON - MOELLER                    |
| MPN / Reference | SVX007A1-5A4B1                     |
| Catalog number  | 138484                             |
| Category        | Frequency converter less than 1 kV |
| Minimum order   | 1 Pcs                              |
| Document ID     | EO-C4AF9946FB                      |
| Generated       | 2026-08-05                         |

**Product Overview**

Variable frequency drive, 600 V AC, 3-phase, 10 A, IP21, Radio interference suppression filter, Brake chopper, OLED display, DC link choke, FR6

Frequency converter; 13.5 A; 11 kW; IP21; 690 V AC; Class C3 EMC filter; Braking transistor

Variable frequency drive, Part group reference (e.g. DIL): SVX, Rated operational voltage:  $U_e = 600$  V AC, 3-phase, 690 V AC, 3-phase, Output voltage with  $V_e$ :  $U_2 = 600$  V AC, 3-phase, 690 V AC, 3-phase, Mains voltage (50/60Hz):  $U_{LN} = 525$  (-15%) - 690 ( $\pm 10\%$ ) V, Rated operational current At 150% overload:  $I_e = 10$  A, Rated operational current At 110% overload:  $I_e = 13.5$  A, Note: Overload cycle for 60 s every 600 s, Assigned motor rating Note: For AC motors with internal and external ventilation with 50 Hz / 60 Hz, Overload cycle for 60 s every 600 s, at 690 V, 50 Hz, Assigned motor rating 150 % Overload:  $P = 7.5$  kW, 110 % Overload:  $P = 11$  kW, 150 % Overload:  $I_M = 8.8$  A, 110 % Overload:  $I_M = 12.6$  A, Assigned motor rating Note: at 690 V, 60 Hz, Assigned motor rating 150 % Overload:  $P = 7.5$  HP, 110 % Overload:  $P = 10$  HP, Assigned motor rating 150 % Overload:  $I_M = 8$  A, 110 % Overload:  $I_M = 10$  A, Degree of Protection: IP21, Fieldbus connection (optional): PROFIBUS-DP, LonWorks, CANopen®, DeviceNet, Modbus-TCP, BACnet/IP, Fitted with: Radio interference suppression filter, Brake chopper, OLED display, DC link choke, Frame size: FR6, Standards: Specificati...

## STRUCTURED PRODUCT DATA

**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

**Classification & Catalog Path**

Catalog path EATON - MOELLER > Eaton Frequency Converters

**Additional Product Information**

## General specifications

Product Name Eaton SVX Variable frequency drive Catalog Number 138484 Model Code SVX007A1-5A4B1 EAN 4015081352630 Product Length/Depth 558 mm Product Height 237 mm Product Width 195 mm Product Weight 18.5 kg

Certifications CSA-C22.2 No. 14

CUL

Safety: EN 61800-5-1: 2003

UL Category Control No.: NMMS, NMMS2, NMMS7, NMMS8

RoHS, ISO 9001

UL

DNV

IEC/EN61800-5

Certified by UL for use in Canada

CSA Class No.: 3211-06

UL 508C

UL File No.: E134360

UL report applies to both US and Canada

IEC/EN61800-3

CE

Specification for general requirements: IEC/EN 61800-2

IEC/EN 61800-3

RCM General

Communication interface LonWorks, optional

BACnet/IP, optional

PROFIBUS-DP

Modbus-TCP, optional

DeviceNet, optional

CANopen®, optional

BACnet MS/TP, optional

EtherCAT, optional

Ethernet IP, optional

Modbus-RTU, optional

PROFINET, optional Connection to SmartWire-DT No Degree of protection IP21

NEMA Other Electromagnetic compatibility 1st and 2nd environments (according to EN 61800-3) Fitted with: Brake chopper IGBT inverter

Radio interference suppression filter

DC link choke

Internal DC link

OLED display Frame size FR6 Mounting position Vertical Product Category Variable frequency drives Protection Finger and back-of-hand proof, Protection against direct contact (BGV A3, VBG4) Radio interference class C2, C3: depending on the motor cable length, the connected load, and ambient conditions. External radio interference suppression filters (optional) may be necessary. Suitable for Bra...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / SVX007A1-5A4B1 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.