

## INDUSTRIAL COMPONENT DATA

# TM-2-15432/E 027418 Y7-27418 EATON ELECTRIC Changeoverswitches, Contacts: 4, 10 A, front plate: HAND-0-AUTO,..

Brand: EATON - MOELLER | Manufacturer Part Number: TM-2-15432/E



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | EATON - MOELLER |
| MPN / Reference | TM-2-15432/E    |
| Catalog number  | Y7-27418        |
| Category        | Control switch  |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-06EE2C14C8   |
| Generated       | 2026-08-01      |

## Product Overview

Changeoverswitches, Contacts: 4, 10 A, front plate: HAND-0-AUTO, 60 °, maintained, flush mounting

Switch 4-pole switch 10 A Indicator plate: HAND-0-AUTO 60

Eaton Moeller® series TM Changeoverswitches, TM, 10 A, flush mounting, 2 contact unit(s), Contacts: 4, 60 °, maintained, With 0 (Off) position, HAND-0-AUTO, Design number 15432

Changeover switch, Product range: Control switches, Standards: IEC/EN 60947, VDE 0660, CSA, UL, Control switch as per IEC/EN 60947-5-1, Auxiliary switch as per IEC/EN 60947-5-1, Part group reference: TM, with black thumb grip and front plate, Contacts: 4, Degree of Protection: Front IP65, Design: flush mounting, Switching angle: 60 °, Switching performance: maintained, With 0 (Off) position, 2 contact unit(s), Rated uninterrupted current: I<sub>u</sub>= 10 A, front plate: HAND-0-AUTO

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                  |
|--------------|--------------------------------------------------|
| Catalog path | EATON - MOELLER > Disconnectors and Cam Switches |
|--------------|--------------------------------------------------|

## Additional Product Information

General specifications

Product Name Eaton Moeller® series TM Changeover switch Catalog Number 027418 Model Code TM-2-15432/E EAN 4015080274186 Product Length/Depth 74 mm Product Height 30 mm Product Width 30 mm Product Weight 0.04 kg

Certifications IEC/EN 60947-3

IEC/EN 60947-5-1

UL

CSA  
UL 508  
UL Category Control No.: NLRV  
IEC/EN 60947  
UL report applies to both US and Canada  
Certified by UL for use in Canada  
CSA-C22.2 No. 94  
CE  
CSA-C22.2 No. 14-05  
UL File No.: E36332  
VDE 0660  
ETIM for 027418 Low-voltage industrial controls and switchgear (EC002611)  
Feature Name  
Feature Value  
Type of switch (EF003496)  
Reverser  
Number of poles (EF001391)  
2  
Max. rated operation voltage Ue AC (EF007355)  
500 V  
Rated permanent current Iu (EF001389)  
10 A  
Number of switch positions (EF000231)  
3  
With zero (off) position (EF001416)  
Yes  
With retraction in 0-position (EF002428)  
No  
Device construction (EF008240)  
Built-in device  
Width in number of modular spacings (EF002950)  
0  
Suitable for floor mounting (EF007243)  
No  
Suitable for front mounting (EF007246)  
Yes  
Suitable for distribution board installation (EF007262)  
No  
Suitable for intermediate mounting (EF007264)  
No  
Complete device in housing (EF007317)  
No  
Type of control element (EF006976)  
Toggle  
Front shield size (EF007176)  
48x48 mm  
Degree of protection (IP), front side (EF003118)

IP65

Degree of protection (NEMA), front side (EF011961)

12

**REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW**

Send EATON - MOELLER / TM-2-15432/E with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

**GLOBAL OFFICES**

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.