

INDUSTRIAL COMPONENT DATA

ULTRALED 45 LUM16025 EATON ELECTRIC Scaler hose 45

Brand: EATON - MOELLER | Manufacturer Part Number: ULTRALED 45



Manufacturer	EATON - MOELLER
MPN / Reference	ULTRALED 45
Catalog number	LUM16025
Category	Emergency luminaire
Minimum order	1 Pcs
Document ID	EO-35DADFDEBD
Generated	2026-08-03

Product Overview

Scaler hose 45

ULTRALED 45

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog pathEATON - MOELLER > Self contained

Additional Product Information

ETIM for LUM16025 Luminaires (EC001957)

Feature Name

Feature Value

Mounting method (EF000003)

Surface mounting/recessed mounting

Suitable for labelling type (EF001277)

Insert sheet/plate

Type of indicator (EF001278)

Single/double-sided

With pictogram (EF011099)

Yes

Monitoring equipment (EF008091)

Automatic self test

With remote switch connection (EF007947)

Yes

Power supply system (EF000233)
Peripheral (individual battery)
Battery technology (EF004351)
NiCd
Lamp type (EF002423)
LED non-replaceable
With light source (EF005905)
Yes
Suitable for number of light sources (EF006436)
2
Lamp holder (EF000048)
None
Number of lighting heads (EF004258)
2
Housing material (EF001596)
Plastic
Housing colour (EF000136)
White
Material cover (EF004284)
Plastic transparent
Voltage type (EF000187)
AC
Nominal voltage (EF005127)
230 V
Type of control gear (EF000381)
Electronic transformer
Light distributor (EF012170)
Reflector
Degree of protection (IP) (EF005474)
IP43
Impact strength (EF004293)
IK08
Protection class according to IEC 61140 (EF000004)
II
Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 (EF006420)
No
Rated ambient temperature according to IEC 62722-2-1 (EF012090)
5 °C
Max. system power (EF009347)
1.2 W
Rated luminous flux according to IEC 62722-2-1 (EF009349)
45 lm
Luminous flux in standby mode (EF011954)
3 lm
Colour temperature (EF009346)
5000 K
Power factor (EF025740)

0.608

Recognition distance (EF008732)

20 m

Nominal operation time (EF012518)

1 h

Wi...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / ULTRALED 45 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.