

INDUSTRIAL COMPONENT DATA

VeLos PSU 3h NiCD ESC-3H O-ESC-3H EATON ELECTRIC

Veils PSU 3h NiCD

Brand: EATON - MOELLER | Manufacturer Part Number: VeLos PSU 3h NiCD



Manufacturer	EATON - MOELLER
MPN / Reference	VeLos PSU 3h NiCD
Catalog number	O-ESC-3H
Category	Emergency luminaire
Minimum order	1 Pcs
Document ID	EO-529648D769
Generated	2026-08-04

Product Overview

Veils PSU 3h NiCD

VeLos PSU 3h NiCD

Eaton Velos, Exit sign, 30m viewing distance, Escape route, Stand alone, LED, Maintained operation, IP20, 3 hour duration, Recessed

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Self contained

Additional Product Information

ETIM for ESC-3H Luminaires (EC001957)

Feature Name

Feature Value

Mounting method (EF000003)

Surface mounting/recessed mounting

Suitable for labelling type (EF001277)

Acrylic plate

Type of indicator (EF001278)

Single/double-sided

With pictogram (EF011099)

No

Monitoring equipment (EF008091)

None
With remote switch connection (EF007947)
Yes
Power supply system (EF000233)
Peripheral (individual battery)
Battery technology (EF004351)
NiCd
Lamp type (EF002423)
LED non-replaceable
With light source (EF005905)
Yes
Suitable for number of light sources (EF006436)
1
Lamp holder (EF000048)
None
Number of lighting heads (EF004258)
1
Housing material (EF001596)
Plastic
Housing colour (EF000136)
White
Material cover (EF004284)
Without cover
Voltage type (EF000187)
AC
Nominal voltage (EF005127)
220 V
Type of control gear (EF000381)
LED driver constant current
Light distributor (EF012170)
None
Degree of protection (IP) (EF005474)
IP20
Impact strength (EF004293)
IK03
Protection class according to IEC 61140 (EF000004)
II
Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 (EF006420)
Yes
Rated ambient temperature according to IEC 62722-2-1 (EF012090)
5 °C
Max. system power (EF009347)
4.4 W
Colour temperature (EF009346)
5700 K
Power factor (EF025740)
0.5

Recognition distance (EF008732)

30 m

Nominal operation time (EF012518)

3 h

Width (EF000008)

346 mm

Height/depth (EF001456)

50 mm

Length (EF001438)

69 mm

Number of poles (EF001391)

3

Conductor cross section (EF000085)....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / VeLos PSU 3h NiCD with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.