

INDUSTRIAL COMPONENT DATA

VeLos PSU MAINS with V-CG-S2 ES-CG-S O-ES-CG-S EATON ELECTRIC VeLos PSU MAINS with V-CG-S2

Brand: EATON - MOELLER | Manufacturer Part Number: VeLos PSU MAINS with V-CG-S2



Manufacturer	EATON - MOELLER
MPN / Reference	VeLos PSU MAINS with V-CG-S2
Catalog number	O-ES-CG-S
Category	Emergency luminaire
Minimum order	1 Pcs
Document ID	EO-9FADABEC7D
Generated	2026-08-05

Product Overview

VeLos PSU MAINS with V-CG-S2

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path EATON - MOELLER > Central Battery System

Additional Product Information

ETIM for ES-CG-S Luminaires (EC001957)

Feature Name

Feature Value

Mounting method (EF000003)

Function (EF000030)

Suitable for labelling type (EF001277)

Other

Type of indicator (EF001278)

Single/double-sided

With pictogram (EF011099)

false

Monitoring equipment (EF008091)

Safety module for monitoring (central feeded system)

Suitable for standby switching (EF017055)

Suitable for continuous circuit (EF017056)

With remote switch connection (EF007947)

false

With remote control (EF000483)

Power supply system (EF000233)

Central (central battery)

Battery technology (EF004351)

Other

Lamp type (EF002423)

LED not exchangeable

With light source (EF005905)

true

Suitable for number of light sources (EF006436)

1

Lamp holder (EF000048)

None

Number of lighting heads (EF004258)

1

Housing material (EF001596)

Plastic

RAL-number housing (EF012502)

Housing colour (EF000136)

White

Material cover (EF004284)

Plastic, transparent

Voltage type (EF000187)

AC

Nominal voltage (EF005127)

None V

Nominal current (EF009345)

None mA

Type of control gear (EF000381)

LED operating device current-controlled

Exchangeable control gear (EF016286)

Light distributor (EF012170)

Diffuser lens/optic/panel

Max. number of luminaires per miniature circuit breaker B16 (MCB) (EF015534)

Energy efficiency class of the light source according to EU regulation 2019/2015 (EF016835)

Max. number of luminaires per miniature circuit breaker C16 (MCB) (EF015533)

Rated life time L70/B50 at 25 °C (EF011870)

25 h

Lumen maintenance at median...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / VeLos PSU MAINS with V-CG-S2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.