

INDUSTRIAL COMPONENT DATA

XV-303-10-BE0-A00-1C 179667 Y7-179667 EATON ELECTRIC

Control panel with PLC as an SWD coordinator,24VDC, 10...

Brand: EATON - MOELLER | Manufacturer Part Number: XV-303-10-BE0-A00-1C



Manufacturer	EATON - MOELLER
MPN / Reference	XV-303-10-BE0-A00-1C
Catalog number	Y7-179667
Category	Graphic panel
Minimum order	1 Pcs
Document ID	EO-5A934EE0F6
Generated	2026-08-06

Product Overview

Control panel with PLC as an SWD coordinator,24VDC, 10.1-inch PCT display, 1024x600 pixels, 1xEthernet, 1xRS232, 1xRS485, 1xCAN, 1xSWD, 1xSD card slot

XV-303-10-BE0-A00-1C

Eaton XV-303 User interface with PLC as an SWD coordinator,24VDC, 10.1-inch PCT display, 1024x600 pixels, 1xEthernet, 1xRS232, 1xRS485, 1xCAN, 1xSWD, 1xSD card slot

SWD multi-touch display with PLC, XV-303, Product range: XV300 10.1z, Subrange: SmartWire-DT touch display with integrated controller (HMI PLC), Function: SmartWire-DT coordinator, Description: XV300 multi touch display with PLC function for flush mounting plates, Control panel with PLC as SWD coordinator, Common features of the model series: Ethernet interface, CAN, USB device, USB Host, RS232, RS485, Slot for SD card, Operating System Windows Embedded Compact 7 pro, Integrated Runtime visualization software license, Display - Type: Color display, TFT, anti-glare, Touch-technology: Capacitive multi-touch technology (PCT) , Number of colors: 16777216 (Color depth 24 bit), Resolution: WSVGA, 1024 x 600 Pixel, Portrait format: yes, Screen diagonal: 10.1, widescreen Inch, Plastic enclosure and glass panel in plastic frame, Operating system: Windows Embedded Compact 7 Pro, PLC-license: PLC license inclusive, License certificates for onboard interfaces: Not required, built-in interfaces: 1 x Ethernet 10/100 Mbps, 1 x RS232, 1 x RS485, 1 x USB host 2.0,....

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	EATON - MOELLER > HMI Touch Terminals
--------------	---------------------------------------

Additional Product Information

General specifications

Product Name Eaton XV-303 Touch panel Catalog Number 179667 Model Code XV-303-10-BE0-A00-1C EAN

7640130098558 Product Length/Depth 269 mm Product Height 58 mm Product Width 174 mm Product Weight 1.225 kg

Certifications EMC according to 2014/30/EU

UL

UL 61010-2-201

DNV GL

CE

UL File No.: E205091

Certified by UL for use in Canada

EN 50178

IEC/EN 61131-2

CUL Features & Functions

Enclosure material Insulated material Features Portrait format

Ethernet interface

RS232

Overload proof

Slot for SD card

CAN

Target and web visualization

Integrated Runtime visualization software license

USB device

USB Host

RS485

Fanless CPU and system cooling, natural convection-based passive cooling

Operating System Windows Embedded Compact 7 pro Fitted with: 1 x USB device (built-in interface)

Printer output

1 x CANopen®/easyNet (built-in interfaces)

Message system (incl. buffer and confirmation)

1 x Ethernet 10/100 Mbps (built-in interfaces)

1 x USB host 2.0 (built-in interface)

Message indication

Recipes

1 x RS485 (built-in interface)

SW interfaces

1 x SmartWire-DT (built-in interface)

1 x RS232 (built-in interface)

Color display Functions Process default value (input) possible

Additional software components, loadable

SmartWire-DT coordination

Process value representation (output) possible General

Battery runtime Back-up of real-time clock: BR 2330, non-replaceable (soldered) Degree of protection IP20, rear (according to EN 60529-1)

NEMA 12

NEMA 4X Degree of protection (front....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / XV-303-10-BE0-A00-1C with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.