

INDUSTRIAL COMPONENT DATA

XV-313-70-CE0-A00-1C 191003 Y7-191003 EATON ELECTRIC

Control panel with PLC for rear mounting as SWD coordin..

Brand: EATON - MOELLER | Manufacturer Part Number: XV-313-70-CE0-A00-1C



Manufacturer	EATON - MOELLER
MPN / Reference	XV-313-70-CE0-A00-1C
Catalog number	Y7-191003
Category	Graphic panel
Minimum order	1 Pcs
Document ID	EO-40755B999F
Generated	2026-08-03

Product Overview

Control panel with PLC for rear mounting as SWD coordinator,24VDC,7-inch PCT displ.,1024x600 pixels,2xEthernet,1xRS232,1xRS485,1xCAN,1xSWD,1xSD

XV-313-70-CE0-A00-1C

Eaton XV-313 User interface with PLC for rear mounting as SWD coordinator,24VDC,7-inch PCT displ.,1024x600 pixels,2xEthernet,1xRS232,1xRS485,1xCAN,1xSWD,1xSD

SWD multi-touch display with PLC, XV-313, Product range: XV300 7z, Subrange: SmartWire-DT touch display with integrated controller (HMI PLC), Function: SmartWire-DT coordinator, Description: XV300 multi touch display with PLC function for flush mounting plates, Control panel with PLC as a SmartWire-DT coordinator and 2nd Ethernet port, Common features of the model series: Ethernet interface, CAN, USB device, USB Host, RS232, RS485, Slot for SD card, Operating System Windows Embedded Compact 7 pro, Integrated Runtime visualization software license, Display - Type: Color display, TFT, anti-glare , Touch-technology: Capacitive multi-touch technology (PCT), Number of colors: 16777216 (Color depth 24 bit), Resolution: WSVGA, 1024 x 600 Pixel, Portrait format: yes, Screen diagonal: 7, widescreen Inch, Plastic enclosure and glass panel in aluminum mounting frame, Operating system: Windows Embedded Compact 7 Pro, PLC-license: PLC license inclusive, License certificates for onboard interfaces: Not required, built-in interfaces: 2 x Ethernet 10/100 Mbps, 1 x RS232, 1 x....

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **EATON - MOELLER > HMI Touch Terminals**

Additional Product Information

General specifications

Product Name Eaton XV-313 Touch panel Catalog Number 191003 Model Code XV-313-70-CE0-A00-1C EAN

7640130099050 Product Length/Depth 209 mm Product Height 50 mm Product Width 151 mm Product Weight 0.8 kg

Certifications UL 61010-2-201

EMC according to 2014/30/EU

UL File No.: E205091

IEC/EN 61131-2

CE

CUL

Certified by UL for use in Canada

UL

EN 50178

DNV GL Features & Functions

Enclosure material Insulated material Features Slot for SD card

CAN

Ethernet interface

RS485

RS232

Portrait format

USB Host

Integrated Runtime visualization software license

Overload proof

USB device

Operating System Windows Embedded Compact 7 pro

Fanless CPU and system cooling, natural convection-based passive cooling

Target and web visualization Fitted with: 1 x RS232 (built-in interface)

1 x RS485 (built-in interface)

SW interfaces

Message indication

Recipes

Color display

1 x USB host 2.0 (built-in interface)

Printer output

1 x SmartWire-DT (built-in interface)

Message system (incl. buffer and confirmation)

1 x USB device (built-in interface)

1 x CANopen®/easyNet (built-in interfaces)

2 x Ethernet 10/100 Mbps (built-in interface) Functions Process value representation (output) possible

SmartWire-DT coordination

Process default value (input) possible

Additional software components, loadable General

Battery runtime Back-up of real-time clock: BR 2330, non-replaceable (soldered) Degree of protection NEMA 4X

IP20, rear (according to EN 60529-1)

NEMA 12 Degree of protection (front sid...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send EATON - MOELLER / XV-313-70-CE0-A00-1C with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.