

INDUSTRIAL COMPONENT DATA

DNG2208R5 ELDON Glazed door, 2200x800 DNG2208R5

Brand: ELDON | Manufacturer Part Number: DNG2208R5



Manufacturer	ELDON
MPN / Reference	DNG2208R5
Catalog number	10000
Category	Door/operating panel (switchgear cabinet)
Minimum order	1 Pcs
Document ID	EO-69753420CA
Generated	2026-07-29

Product Overview

Glazed door, 2200x800 DNG2208R5

Glass door, 2200x800, steel sheet, lock double-warded 3 mm

Glazed Doors, DNG, 2182x793x17mm, Light Gray, Mild Steel

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	ELDON > Steel Floor Standing Enclosures
--------------	---

Additional Product Information

Features

Description: Glazed door with fitted clear safety glass to view the inside of the enclosure. Equipped with double-bit 3 mm lock system and door frame. Allows all options of the locking program. Compatible with combinable and compact enclosure ranges.

Material: Frame: 2 mm steel plate. Viewing area: 4 mm clear safety glass.

Finish: RAL 7035 structured powder coating.

Protection: Complies with IP 55, TYPE 12, IK 07.

Pack quantity: 1 piece.

Mounting requirements: Use hinge kit DNMK01 if no door was fitted previously.

Atributo del producto

Valor

Height 2182mm

Width 793mm

Depth 17mm

Window Size 1976 x 615mm
Enclosure Material Mild Steel
Product Family Free-Standing
Material Mild Steel
Finish Powder Coated
Color Light Gray
Color Code RAL 7035
Thickness 2mm
Package Quantity 1
Weight 29.6kg
UPC 783510467883
EAN 8713574218574
Standard Packaging Quantity 1
Packing Quantity 1
ETIM for DNG2208R5 Cabinets and enclosures (EC000747)
Feature Name
Feature Value
Model (EF000010)
Protective door
Version as glazed door (EF006966)
Yes
Version as door for disconnecting switch interlocking (EF006967)
No
Width (EF000008)
793.00 mm
Height (EF000040)
2182.00 mm
Depth (EF000049)
17.00 mm
EMC-version (EF001062)
No
Material (EF002169)
Steel
Surface finishing (EF006569)
Powder coated
Colour (EF000007)
Grey
Degree of protection (IP) (EF005474)
IP55
Degree of protection (NEMA) (EF011959)
12

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send ELDON / DNG2208R5 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.