

INDUSTRIAL COMPONENT DATA

004830 LEGRAND TERMINAL REPART. 4P IP2 EARTH

Brand: LEGRAND | Manufacturer Part Number: 004830



Manufacturer	LEGRAND
MPN / Reference	004830
Catalog number	004830
Category	Rail terminal bar
Minimum order	10 Pcs
Document ID	EO-71F35F0609
Generated	2026-07-31

Product Overview

TERMINAL REPART. 4P IP2 EARTH

Legrand Fully Shrouded IP2X Earth Terminal Block Rail Mounting 0 Entry 4 Exit 47mm Green

IP2X distribution terminal - ground - 4 connections. from 1.5 to 16mm² - green - L. 47mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > SPLITTERS

Additional Product Information

Fully shrouded terminal blocks providing finger protection IP2x For fixing to 12 x 2mm railNumber of poles 1

Nominal current 76 A

Connection type Screwing

Mounting method DIN rail

Number of inputs 1

Number of outputs 3

Suitable for solid conductors Yes

Suitable for stranded conductors Yes

Suitable for fine strand conductors Yes

Suitable for fine strand conductors without cable end sleeve No

Suitable for extra fine-strand conductors No

Suitable for extra fine-strand conductors without cable end sleeve No

Conductor cross section, input 1.5-16 mm²Conductor cross section, output 1.5-16 mm²

Contact safe Yes
Height 30 mm
Width 47 mm
Depth 16 mm
Degree of protection (IP) IP2X
Operating / setting temperature -5-40 °C
Storage temperature -25-70 °C
Type of distribution blocks Earth
Terminals capacity 1.5-16 mm²
Label space/information surface No
ETIM for 004830 Power distribution systems (EC000275)
Feature Name
Feature Value
Height (EF000040)
30 mm
Nominal current (EF000001)
76 A
Connection type (EF000124)
Screwing
Mounting method (EF000003)
DIN rail
Contact safe (EF004521)
Yes
Suitable for extra fine-strand conductors (EF016328)
No
Suitable for extra fine-strand conductors without cable end sleeve (EF016329)
No
Number of poles (EF001391)
1
Conductor cross section, output (EF016331)
1.5 mm²
Suitable for fine strand conductors without cable end sleeve (EF016327)
No
Suitable for stranded conductors (EF007818)
Yes
Depth (EF000049)
16 mm
Conductor cross section, input (EF016330)
1.5 mm²....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 004830 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.