

## INDUSTRIAL COMPONENT DATA

## 004835 LEGRAND TERMINAL REPART. 17P IP2 EARTH

Brand: LEGRAND | Manufacturer Part Number: 004835



|                 |                   |
|-----------------|-------------------|
| Manufacturer    | LEGRAND           |
| MPN / Reference | 004835            |
| Catalog number  | 004835            |
| Category        | Rail terminal bar |
| Minimum order   | 10 Pcs            |
| Document ID     | EO-0A035653BC     |
| Generated       | 2026-08-02        |

## Product Overview

TERMINAL REPART. 17P IP2 EARTH

Legrand Fully Shrouded IP2X Earth Terminal Block Rail Mounting 1 Entry 16 Exit 141mm Green

IP2X distribution terminal - ground - 1 connection. from 6 to 25mm<sup>2</sup> - green - L. 141mm

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification &amp; Catalog Path

Catalog path      LEGRAND &gt; SPLITTERS

## Additional Product Information

Fully shrouded terminal blocks providing finger protection IP2x For fixing to 12 x 2mm rail Can be fixed directly to DIN rail without accessory

Number of poles 1

Nominal current 90 A

Connection type Screwing

Mounting method DIN rail

Number of inputs 1

Number of outputs 16

Suitable for solid conductors Yes

Suitable for stranded conductors Yes

Suitable for fine strand conductors Yes

Suitable for fine strand conductors without cable end sleeve No

Suitable for extra fine-strand conductors No

Suitable for extra fine-strand conductors without cable end sleeve No

Conductor cross section, input 6-25 mm<sup>2</sup>

Conductor cross section, output 1.5-16 mm<sup>2</sup>

Contact safe Yes

Height 30 mm

Width 141 mm

Depth 16 mm

Degree of protection (IP) IP2X

Operating / setting temperature -5-40 °C

Storage temperature -25-70 °C

Type of distribution blocks Earth

Terminals capacity 1.5-25 mm<sup>2</sup>

Label space/information surface No

ETIM for 004835 Power distribution systems (EC000275)

Feature Name

Feature Value

Height (EF000040)

30 mm

Nominal current (EF000001)

90 A

Connection type (EF000124)

Screwing

Mounting method (EF000003)

DIN rail

Contact safe (EF004521)

Yes

Suitable for extra fine-strand conductors (EF016328)

No

Suitable for extra fine-strand conductors without cable end sleeve (EF016329)

No

Number of poles (EF001391)

1

Conductor cross section, output (EF016331)

1.5 mm<sup>2</sup>

Suitable for fine strand conductors without cable end sleeve (EF016327)

No

Suitable for stranded conductors (EF007818)

Yes

Depth (EF000049)

16 m...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 004835 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.