

## INDUSTRIAL COMPONENT DATA

## 010601 LEGRAND DLPE-MONOB ANG INT H35

Brand: LEGRAND | Manufacturer Part Number: 010601



|                 |                                              |
|-----------------|----------------------------------------------|
| Manufacturer    | LEGRAND                                      |
| MPN / Reference | 010601                                       |
| Catalog number  | 010601                                       |
| Category        | EVOLUTIONARY DLP INSTALLATION CABLE TRUNKING |
| Minimum order   | 10 units                                     |
| Document ID     | EO-D6AABBAD11                                |
| Generated       | 2026-08-02                                   |

## Product Overview

010601 LEGRAND DLPE-MONOB ANG INT H35

## STRUCTURED PRODUCT DATA

## Technical Specifications

| TECHNICAL ATTRIBUTE                  | VALUE               |
|--------------------------------------|---------------------|
| Cover width 1 (EF005147)             | 0 mm                |
| Shape (EF000051)                     | Symmetric           |
| With protective foil (EF005266)      | No                  |
| Model (EF000010)                     | Base unit and cover |
| Number of covers (EF004430)          | 0                   |
| Degree of protection (IP) (EF005474) | IP40                |
| Material (EF002169)                  | Plastic             |
| Bottom perforation (EF004545)        | No                  |
| Halogen free (EF000025)              | Yes                 |
| Material quality (EF001257)          | Other               |
| Cover width 3 (EF005149)             | 0 mm                |
| Angle (EF005434)                     | 80 °                |
| Cover width 2 (EF005148)             | 0 mm                |
| Impact strength (EF004293)           | IK07                |
| Anti-bacterial treatment (EF023790)  | No                  |
| Depth (EF000049)                     | 35 mm               |
| Mounting method cover (EF002922)     | Inner lying         |

**CONTINUED**

## Technical Specifications

| TECHNICAL ATTRIBUTE               | VALUE     |
|-----------------------------------|-----------|
| Operating temperature (EF001742)  | -5 °C     |
| Colour (EF000007)                 | White     |
| Surface protection (EF000139)     | Untreated |
| RAL-number (EF000116)             | 9003      |
| With cable fixing clip (EF004815) | No        |
| With duct connector (EF004826)    | No        |

## Classification & Catalog Path

|              |                                                        |
|--------------|--------------------------------------------------------|
| Catalog path | LEGRAND > EVOLUTIONARY DLP INSTALLATION CABLE TRUNKING |
|--------------|--------------------------------------------------------|

## Additional Product Information

Pack (number of units)10

Volume (dm3)11.036

Weight (g)668.00

Product characteristicsAngles for flexible cover universal trunking 35 x 105

Internal and external bends

Include the 2 components for the top and bottom of the trunking on which the flexible cover is fitted

Changeable internal bend, from 85° to 95° for 35 x 80 and 35 x 105 mm trunking

General characteristicsFlexible cover universal DLP trunking 35 x 105 and 50 x 105 - 85 mm coverWhite

ETIM for 010601 Cable trunking systems for wall and ceilings (EC000867)

Feature Name

Feature Value

Cover width 1 (EF005147)

0 mm

Shape (EF000051)

Symmetric

With protective foil (EF005266)

No

Model (EF000010)

Base unit and cover

Number of covers (EF004430)

0

Degree of protection (IP) (EF005474)

IP40

Material (EF002169)

Plastic

Bottom perforation (EF004545)

No

Halogen free (EF000025)

Yes

Material quality (EF001257)

Other

Cover width 3 (EF005149)

0 mm

Angle (EF005434)

80 °

Cover width 2 (EF005148)

0 mm

Impact strength (EF004293)

IK07

Anti-bacterial treatment (EF023790)

No

Depth (EF000049)

35 mm

Mounting method cover (EF002922)

Inner lying

Operat...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 010601 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.