

## INDUSTRIAL COMPONENT DATA

## 020138 LEGRAND XL3 400 CELL SIDE 1600H

Brand: LEGRAND | Manufacturer Part Number: 020138



|                 |                                      |
|-----------------|--------------------------------------|
| Manufacturer    | LEGRAND                              |
| MPN / Reference | 020138                               |
| Catalog number  | 020138                               |
| Category        | Enclosure/switchgear cabinet (empty) |
| Minimum order   | 1 Pcs                                |
| Document ID     | EO-AA551FC186                        |
| Generated       | 2026-08-02                           |

## Product Overview

XL3 400 CELL SIDE 1600H

Cell side XL3 400 - for metal cabinet ref. 201 18 - Alt 1600 - grey RAL 7035

Side cell XL<sup>3</sup> 400 - Height 1600 - Gray RAL 7035

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification &amp; Catalog Path

Catalog path LEGRAND &gt; XL3 160-400 ENERGY DISTRIBUTION CABINETS

## Additional Product Information

## Product features

Metal cabinets - IP 43 - IK 08 set and door - IP 40 - IK 08 with door IP 30 - IK 07 without door Cells external side - Include plinth height 100 mm - total Height: 1600 mm - Height to caps cubebornas: 1450 mm - total Width: 310 mm - working Width: 250 mm - depth: 175 mm General characteristics

XL3 400 - boxes and control cabinets - Suitable for devices up to 400 A - fire Resistance according to IEC 60695-2-11: 750 °C - Capacity: 24 modules per row. RAL 7035 (socket RAL 7004) - The door must be ordered separately - Supplied with studs, functional set in the bottom of the wardrobe, plate cable entry cut-out and accessories link (horizontal and vertical) - For information on resistance in specific environments, see the statement

ETIM for 020138 Cabinets and enclosures (EC000261)

Feature Name

Feature Value

Suitable for wall built-in (EF007536)

No

Height (EF000040)

1600 mm

Degree of protection (IP) (EF005474)

IP43

Number of doors (EF000122)

1

Material (EF002169)

Steel

Surface finishing (EF006569)

Powder coated

Material quality (EF001257)

Other

Number of locks (EF000123)

1

Pitched roof (EF009278)

No

Degree of protection (NEMA) (EF011959)

Other

RAL-number (EF000116)

7035

With mounting plate (EF000118)

No

With ventilation door (EF006279)

No

With glazed door (EF001089)

No

With rear door (EF007381)

No

EMC-version (EF001062)

No

Mounting plate depth-adjustable (EF006054)

No

Impact strength (EF004293)

IK08

Pole fastening (EF009582)

No

Depth (EF000049)

175 mm

Colour (EF0...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 020138 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.