

INDUSTRIAL COMPONENT DATA

020139 LEGRAND XL3 400 CELL SIDE 1900H

Brand: LEGRAND | Manufacturer Part Number: 020139



Manufacturer	LEGRAND
MPN / Reference	020139
Catalog number	020139
Category	Enclosure/switchgear cabinet (empty)
Minimum order	1 Pcs
Document ID	EO-DCE76FE27E
Generated	2026-08-02

Product Overview

XL3 400 CELL SIDE 1900H

Cell side XL3 400 - for metal cabinet ref. 201 19 - Alt 1900 - grey RAL 7035

Side cell XL³ 400 - Height 1900 - Gray RAL 7035

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LEGRAND > XL3 160-400 ENERGY DISTRIBUTION CABINETS
--------------	--

Additional Product Information

Product features

Metal cabinets - IP 43 - IK 08 set and door - IP 40 - IK 08 with door IP 30 - IK 07 without door Cells external side - Include plinth height 100 mm - total Height: 1900 mm - Height to caps cubebornas: 1750 mm - total Width: 310 mm - working Width: 250 mm - depth: 175 mm General characteristics

XL3 400 - boxes and control cabinets - Suitable for devices up to 400 A - fire Resistance according to IEC 60695-2-11: 750 °C - Capacity: 24 modules per row. RAL 7035 (socket RAL 7004) - The door must be ordered separately - Supplied with studs, functional set in the bottom of the wardrobe, plate cable entry cut-out and accessories link (horizontal and vertical) - For information on resistance in specific environments, see the statement

ETIM for 020139 Cabinets and enclosures (EC000261)

Feature Name

Feature Value

Suitable for wall built-in (EF007536)

No

Height (EF000040)

1900 mm

Degree of protection (IP) (EF005474)

IP43

Number of doors (EF000122)

1

Material (EF002169)

Steel

Surface finishing (EF006569)

Powder coated

Material quality (EF001257)

Other

Number of locks (EF000123)

1

Pitched roof (EF009278)

No

Degree of protection (NEMA) (EF011959)

Other

RAL-number (EF000116)

7035

With mounting plate (EF000118)

No

With ventilation door (EF006279)

No

With glazed door (EF001089)

No

With rear door (EF007381)

No

EMC-version (EF001062)

No

Mounting plate depth-adjustable (EF006054)

No

Impact strength (EF004293)

IK08

Pole fastening (EF009582)

No

Depth (EF000049)

175 mm

Colour (EF0...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 020139 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.