

INDUSTRIAL COMPONENT DATA

020404 LEGRAND XL3 CABINET METAL L660 H1950

Brand: LEGRAND | Manufacturer Part Number: 020404



Manufacturer	LEGRAND
MPN / Reference	020404
Catalog number	020404
Category	Enclosure/switchgear cabinet (empty)
Minimum order	1 Pcs
Document ID	EO-7536B87BA2
Generated	2026-08-04

Product Overview

XL3 CABINET METAL L660 H1950

Distribution cabinet XL3 800 - 1950x660x230 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **LEGRAND > XL3 800-4000 ENERGY DISTRIBUTION CABINETS**

Additional Product Information

Product features

Cabinets can be equipped - Including socle, height: 100 mm Width 660 mm 24 modules per row - total Height: 1950 mm - Height to caps cubrebornas: 1800 mm - outer Width: 660 mm - useful Width: 600 mm - depth: 230 mm General characteristics

XL3 800 - cabinets - IP 43 - IK 08 with kit sealing IP43 and door - IP 40 - IK 08 with door IP 30 - IK 07 without door - Facing metal. Suitable for appliances up to 800 A - fire Resistance according to IEC 60695-2-11: 750 °C/5 s - To install in the ERP - Capacity 24 and 36 modules per row - RAL 7035 - Supplied flat with studs functional fixed on the bottom plate cable entry cut-out accessories and of association (horizontal and vertical)

ETIM for 020404 Cabinets and enclosures (EC000261)

Feature Name

Feature Value

Suitable for wall built-in (EF007536)

No

Height (EF000040)

1950 mm

Degree of protection (IP) (EF005474)

IP43

Number of doors (EF000122)

1

Material (EF002169)

Steel

Surface finishing (EF006569)

Powder coated

Material quality (EF001257)

Other

Number of locks (EF000123)

1

Pitched roof (EF009278)

No

Degree of protection (NEMA) (EF011959)

Other

RAL-number (EF000116)

7035

With mounting plate (EF000118)

No

With ventilation door (EF006279)

No

With glazed door (EF001089)

Yes

With rear door (EF007381)

No

EMC-version (EF001062)

No

Mounting plate depth-adjustable (EF006054)

No

Impact strength (EF004293)

IK08

Pole fastening (EF009582)

No

Depth (EF000049)

230 mm

Colour (EF000007)

Grey

Width (EF000008)

660 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 020404 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.