

INDUSTRIAL COMPONENT DATA**020454 LEGRAND XL3 800 IP 55 METAL L700 H1950**

Brand: LEGRAND | Manufacturer Part Number: 020454



Manufacturer	LEGRAND
MPN / Reference	020454
Catalog number	020454
Category	Enclosure/switchgear cabinet (empty)
Minimum order	1 Pcs
Document ID	EO-9CD685A03E
Generated	2026-08-02

Product Overview

XL3 800 IP 55 METAL L700 H1950

Distribution cabinet XL3 800 - IP55 - 1995x700x225 mm

Star-delta switches, T3, 32 A, flush mounting, 4 contact unit(s), Contacts: 7, 60 °, maintained, With 0 (Off) position, 0-Y-D, SOND 27, Design number

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **LEGRAND > XL3 800-4000 ENERGY DISTRIBUTION CABINETS****Additional Product Information****Product features**

Cabinets can be equipped - Include socket, height 100 mm Supplied without side panel Width 700 mm 24 modules per row - total Height: 1995 mm - Height to caps cubebornas: 1800 mm - external Width: 700 mm - useful Width: 600 mm - depth: 225 mm General characteristics

XL3 800 - cabinets IP 55 - IP 55 with door IK 08 - Cell metal - Suitable for devices up to 630 A - fire Resistance according to IEC 60695-2-11: 750 °C/5 sec - Capacity 24 and 36 modules per row - RAL 7035 (socket RAL 7004) - Coupling horizontal - To outside industrial and urban sheltered

ETIM for 020454 Cabinets and enclosures (EC000261)

Feature Name

Feature Value

Suitable for wall built-in (EF007536)

No

Height (EF000040)

1995 mm

Degree of protection (IP) (EF005474)

IP55

Number of doors (EF000122)

1

Material (EF002169)

Steel

Surface finishing (EF006569)

Powder coated

Material quality (EF001257)

Other

Number of locks (EF000123)

1

Pitched roof (EF009278)

No

Degree of protection (NEMA) (EF011959)

Other

RAL-number (EF000116)

7035

With mounting plate (EF000118)

No

With ventilation door (EF006279)

No

With glazed door (EF001089)

Yes

With rear door (EF007381)

No

EMC-version (EF001062)

No

Mounting plate depth-adjustable (EF006054)

No

Impact strength (EF004293)

IK08

Pole fastening (EF009582)

No

Depth (EF000049)

225 mm

Colour (EF000007)

Grey

Width (EF000008)

705 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 020454 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.