

INDUSTRIAL COMPONENT DATA

026665 LEGRAND DPX-IS-a 3P 630A M. L.

Brand: LEGRAND | Manufacturer Part Number: 026665



Manufacturer	LEGRAND
MPN / Reference	026665
Catalog number	026665
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-E484A8D808
Generated	2026-07-31

Product Overview

DPX-IS-a 3P 630A M. L.

Isolating switch - DPX-IS 630 without release - 3P - 630 A - right-hand side handle

DPX-IS 630 - 630A - 3P disconnect switch - without trip - right side control

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LEGRAND > INDUSTRIAL CONTACTORS / SWITCHES
--------------	--

Additional Product Information

Pack (number of units)1

Volume (dm3)30.00

Weight (g)7 038.00

Product characteristicsDPX-IS without release

Right-hand side handle

3P

630 A

General characteristicsDPX™-IS 630 isolating switches - 400 to 630 Aisolating switches for on-load circuit breaking by visible isolation and positive action of the contacts

Padlock integrated in the handle

Supplied with terminal shields, and cage terminals

Conform to IEC 60947-3

Category of use AC 23 A

Accept electrical auxiliaries

Can be mounted on plate in XL³ enclosures

ETIM for 026665 Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Version as safety switch (EF006985)

Yes

Version as maintenance-/service switch (EF006986)

Yes

Number of auxiliary contacts as normally open contact (EF001376)

0

Max. rated operation voltage U_e AC (EF007355)

690 V

Version as main switch (EF006981)

Yes

Number of auxiliary contacts as change-over contact (EF003531)

4

Number of auxiliary contacts as normally closed contact (EF001377)

0

Interlockable (EF006281)

Yes

Rated short-time withstand current I_{cw} (EF007050)

15 kA

Voltage release optional (EF007491)

No

Device construction (EF008240)

Complete device in housing

Number of poles (EF001391)

3

Type of electrical connection of main circuit (EF006819)

Screw connection

Version as emergency stop installation (EF006959)

No

Motor drive integrated (EF006697)

No

Version as reversing switch (EF009408)

No

Type of control element (EF006976)

Rocker lever

Conditioned rated short-circuit c...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 026665 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.