

INDUSTRIAL COMPONENT DATA

034001 LEGRAND STRIP STEP 2X10 MM2

Brand: LEGRAND | Manufacturer Part Number: 034001



Manufacturer	LEGRAND
MPN / Reference	034001
Catalog number	034001
Category	Single- and multi-pole terminal strip
Minimum order	10 Pcs
Document ID	EO-D73934DD30
Generated	2026-07-29

Product Overview

STRIP STEP 2X10 MM2

Nylbloc Line Tap with Feet 2mm² x 10mm² (Supplied in Strip)Supreme pass-through strip. 10 separable terminals with capacity 2x10² Step 19.5**STRUCTURED PRODUCT DATA**

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **LEGRAND > STEP TERMINALS AND TERMINALS**

Additional Product Information

Explosion-tested version 'Ex e' No

Connectable conductor cross section fine-strand without cable end sleeve 10-10 mm²Connectable conductor cross section fine-strand with cable end sleeve 6-6 mm²Connectable conductor cross section solid-core 10-10 mm²Connectable conductor cross section multi-wired 10-10 mm²Rated current I_n 57 A

Rated voltage 230 V

Type of electrical connection 1 Screw connection

Type of electrical connection 2 Screw connection

Number of poles 1

Number of clamp positions per pole 1

Mounting method Other

Material insulation body Thermoplastic

Operating temperature -5-40 °C

Inflammability class of insulation material according to UL94 Other
Width 216 mm
Height 29 mm
Depth 25 mm
Closing plate required No
Colour Grey
Transparent No
ETIM for 034001 Terminal blocks (EC001284)
Feature Name
Feature Value
Connectable conductor cross section solid-core (EF007337)
10 mm²
Height (EF000040)
29 mm
Connectable conductor cross section fine-strand with cable end sleeve (EF007339)
6 mm²
Inflammability class of insulation material according to UL94 (EF002521)
Other
Material insulation body (EF007543)
Thermoplastic
Mounting method (EF000003)
Other
Connectable conductor cross section fine-strand without cable end sleeve (EF007341)
10 mm²
Connectable conductor cross section multi-wired (EF007343)
10 mm²
Explosion-tested version 'Ex e' (EF008498)
No
Transparent (EF006243)
No
Operating temperature (EF002393)
-5 °C
Rated current I_n (EF008250)
57 A
Number of poles (EF001391)
1
Clos...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 034001 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.