

INDUSTRIAL COMPONENT DATA

034043 LEGRAND TERMINALS CLICK 2X25 MM2

Brand: LEGRAND | Manufacturer Part Number: 034043



Manufacturer	LEGRAND
MPN / Reference	034043
Catalog number	034043
Category	Single- and multi-pole terminal strip
Minimum order	20 Pcs
Document ID	EO-A82BCBA264
Generated	2026-07-28

Product Overview

TERMINALS CLICK 2X25 MM2

Nylbloc Non-Shear Hexagonal Head Line Tap with Feet 2mm² x 30mm²Anti-shear terminal block 2x25mm². Cable pitch 7.4mm. Height 49mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LEGRAND > STEP TERMINALS AND TERMINALS

Additional Product Information

Explosion-tested version 'Ex e' No

Connectable conductor cross section fine-strand without cable end sleeve 25-25 mm²Connectable conductor cross section fine-strand with cable end sleeve 16-16 mm²Connectable conductor cross section solid-core 25-25 mm²Connectable conductor cross section multi-wired 25-25 mm²Rated current I_n 157 A

Rated voltage 230 V

Type of electrical connection 1 Other

Type of electrical connection 2 Screw connection

Number of poles 1

Number of clamp positions per pole 1

Mounting method Other

Material insulation body Thermoplastic

Operating temperature -5-40 °C

Inflammability class of insulation material according to UL94 Other
Width 48 mm
Height 49 mm
Depth 25.8 mm
Closing plate required No
Colour Black
Transparent No
ETIM for 034043 Terminal blocks (EC001284)
Feature Name
Feature Value
Connectable conductor cross section solid-core (EF007337)
25 mm²
Height (EF000040)
49 mm
Connectable conductor cross section fine-strand with cable end sleeve (EF007339)
16 mm²
Inflammability class of insulation material according to UL94 (EF002521)
Other
Material insulation body (EF007543)
Thermoplastic
Mounting method (EF000003)
Other
Connectable conductor cross section fine-strand without cable end sleeve (EF007341)
25 mm²
Connectable conductor cross section multi-wired (EF007343)
25 mm²
Explosion-tested version 'Ex e' (EF008498)
No
Transparent (EF006243)
No
Operating temperature (EF002393)
-5 °C
Rated current I_n (EF008250)
157 A
Number of poles (EF001391)
1
Closing....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 034043 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.