

INDUSTRIAL COMPONENT DATA

055708 LEGRAND PLEXUS SOCKET 4P+T 20A IP44

Brand: LEGRAND | Manufacturer Part Number: 055708



Manufacturer	LEGRAND
MPN / Reference	055708
Catalog number	055708
Category	Socket outlet
Minimum order	10 Pcs
Document ID	EO-0A22141393
Generated	2026-07-29

Product Overview

PLEXUS SOCKET 4P+T 20A IP44

Socket outlet Plexo - IP44 - 20 A - 3P+N+E - flush mounting - grey

Recessed power base 20A 3P+N+T 400V IP44. Grey

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LEGRAND > BASES AND PLUGS
--------------	---------------------------

Additional Product Information

Pack (number of units)10

Volume (dm3)3.325

Weight (g)1 374.00

Product characteristicsSocket outlets 20 A

IP 44 - IK 08

Screw terminals

3P+N+E - 400 V~

Grey

General characteristicsPlexo™ - complete flush-mounting IP 55Mechanisms supplied complete

ETIM for 055708 Domestic wiring accessories and controls (EC000125)

Feature Name

Feature Value

Over voltage protection (EF001332)

No

Nominal current (EF000001)
20 A

Rotated central insert (EF001331)
No

Material quality (EF001257)
Thermoplastic

Mounting method (EF000003)
Other

Special power supply (EF001334)
EV006426

Connection type (EF000124)
Screw terminal

Fault current protection (EF001333)
No

Nominal voltage (EF000002)
400 V

Number of modules (module system) (EF009573)
2

Compatible with Apple HomeKit (EF014925)
No

Eject-mechanism (EF001051)
No

Compatible with Amazon Alexa (EF014927)
No

Compatible with Google Assistant (EF014926)
No

Number of ports USB-C (EF017049)
0

Imprint/indication (EF003823)

Degree of protection (IP)
With hinged lid (EF000117)
Yes

Number of ports USB-A (EF000997)
0

Metallic colour (EF015260)
No

With Wi-Fi signal repeater (EF013509)
No

RAL-number (similar) (EF003882)
7046

Model (EF000010)
Earthing pin

Number of socket outlets switchable (EF008814)
0

Suitable for degree of protection (IP) (EF006755)
IP44

Device depth (EF008810)

35 mm

Impact strength (EF004293)

IK08

Anti-bacterial treatment (EF023790)

No

Number of active contacts (square) (EF017115)

0

Protective contact (EF017116)

Flat

Device width (EF008808)

8...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 055708 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.