

INDUSTRIAL COMPONENT DATA

060419 LEGRAND HUBLOT 100W WATERPROOF IP44 GREY

Brand: LEGRAND | Manufacturer Part Number: 060419



Manufacturer	LEGRAND
MPN / Reference	060419
Catalog number	060419
Category	HUBLOTS
Minimum order	10 units
Document ID	EO-2CDC518FCA
Generated	2026-08-03

Product Overview

060419 LEGRAND HUBLOT 100W WATERPROOF IP44 GREY

STRUCTURED PRODUCT DATA

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Suitable for ceiling mounting (EF021180)	Yes
Lamp type (EF002423)	Incandescent lamp
With control gear (EF007556)	No
Suitable for surface mounting (EF007793)	Yes
Compatible with Apple HomeKit (EF014925)	No
Material cover (EF004284)	Glass structured
Compatible with Amazon Alexa (EF014927)	No
Light distribution (EF004283)	Asymmetric
Compatible with Google Assistant (EF014926)	No
Light outlet (EF004282)	Direct
With light sensor (EF001203)	No
Max. system power (EF009347)	60 W
Colour temperature (EF009346)	2700 K
Nominal current (EF009345)	260 mA
Impact strength (EF004293)	IK06
Dimming DSI (EF012188)	No
Protection class according to IEC 61140 (EF000004)	II

CONTINUED
Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Height/depth (EF001456)	111 mm
Width (EF000008)	147 mm
Built-in length (EF004265)	192 mm
Degree of protection (IP) (EF005474)	IP44
Voltage type (EF000187)	AC
Light distributor (EF012170)	Diffuser
With light source (EF005905)	No
With movement sensor (EF000197)	No
Suitable for emergency lighting (EF004275)	No
Nominal voltage (EF005127)	110 V
Dimming manufacturer's proprietary system (EF012159)	No
Suitable for light line configuration (EF004274)	No
IFTTT support available (EF011072)	No
Dimming phase cut-on (leading edge) (EF012162)	No
Dimming programmable (EF012163)	No
Dimming RF (EF012164)	No
Dimming Sine Wave Reduction (EF012165)	No
Dimming Touch and Dim (EF012166)	No
Dimming Zigbee (EF012167)	No
Dimming with push-button (EF012168)	No
Length (EF001438)	192 mm
Dimming mains voltage modulation (EF012160)	No
Dimming phase cut-off (trailing edge) (EF012161)	No
Covering of the luminaire with thermally insulating material possible (EF006423)	No
Type of grid (EF000282)	None
Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 (EF006420)	No
Colour rendering index CRI (EF000442)	90-100
With air slots (EF009372)	No
Suitable for lamp power (EF000280)	60 W
Dimming 0-10 V (EF012152)	No
Dimming 1-10 V (EF012153)	No
Dimming DALI (EF012154)	No

CONTINUED

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Dimming DMX (EF012155)	No
Dimming potentiometer (integrated) (EF012156)	No
Dimming LineSwitch (EF012158)	No
Suitable for suspended mounting (EF001265)	No
Suitable for number of light sources (EF006436)	1
Lamp holder (EF000048)	E27
Type of control gear (EF000381)	Not required
Housing material (EF001596)	Plastic
Suitable for workplace according to EN 12464-1 (EF007694)	No
Suitable for built-in mounting (EF006760)	No
Colour of light (EF009350)	White
Housing colour (EF000136)	Grey
Rated ambient temperature according to IEC 62722-2-1 (EF012090)	-10 °C
Beam angle (EF008157)	Extreme wide beam >80°
Suitable for wall mounting (EF000664)	Yes

Classification & Catalog Path

Catalog path	LEGRAND > HUBLOTS
--------------	-------------------

Additional Product Information

Pack (number of units)10

Volume (dm3)28.028

Weight (g)6 330.00

Product characteristicsOval - IP 44 / IK 06

Polypropylene base

Glass diffuser

Galvanised steel or plastic

Protection wire grid

3 side knockable entries, for Ø16, 20 mm - cable - 230 V - 50 Hz

Self-extinguishing: 850 °C

For compact fluorescent lamps

Porcelain lampholder

Screw terminals

20 W- E 27

Grey

Metal grid - screw fixing

General characteristicsIP 44/54/55 weatherproof bulkhead lights - For domestic, commercial areas and tough environments

ETIM for 060419 Luminaires (EC002892)

Feature Name

Feature Value

Suitable for ceiling mounting (EF021180)

Yes

Lamp type (EF002423)

Incandescent lamp

With control gear (EF007556)

No

Suitable for surface mounting (EF007793)

Yes

Compatible with Apple HomeKit (EF014925)

No

Material cover (EF004284)

Glass structured

Compatible with Amazon Alexa (EF014927)

No

Light distribution (EF004283)

Asymmetric

Compatible with Google Assistant (EF014926)

No

Light outlet (EF004282)

Direct

With light sensor (EF001203)

No

Max. system power (EF009347)

60 W

Colour temperature (EF009346)

2700 K

Nominal cu...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 060419 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.