

INDUSTRIAL COMPONENT DATA

060451 LEGRAND HUBLOT ROUND WATERPROOF 100 W

Brand: LEGRAND | Manufacturer Part Number: 060451



Manufacturer	LEGRAND
MPN / Reference	060451
Catalog number	060451
Category	HUBLOTS
Minimum order	5 units
Document ID	EO-CFA5D99C31
Generated	2026-07-31

Product Overview

060451 LEGRAND HUBLOT ROUND WATERPROOF 100 W

STRUCTURED PRODUCT DATA

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Suitable for ceiling mounting (EF021180)	Yes
Lamp type (EF002423)	Incandescent lamp
With control gear (EF007556)	No
Suitable for surface mounting (EF007793)	Yes
Compatible with Apple HomeKit (EF014925)	No
Material cover (EF004284)	Glass structured
Compatible with Amazon Alexa (EF014927)	No
Light distribution (EF004283)	Asymmetric
Compatible with Google Assistant (EF014926)	No
Light outlet (EF004282)	Direct
With light sensor (EF001203)	No
Max. system power (EF009347)	70 W
Colour temperature (EF009346)	2700 K
Nominal current (EF009345)	304 mA
Impact strength (EF004293)	IK07
Dimming DSI (EF012188)	No
Protection class according to IEC 61140 (EF000004)	II

CONTINUED

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Height/depth (EF001456)	105 mm
Width (EF000008)	230 mm
Built-in length (EF004265)	230 mm
Degree of protection (IP) (EF005474)	IP44
Voltage type (EF000187)	AC
Light distributor (EF012170)	Diffuser
With light source (EF005905)	No
With movement sensor (EF000197)	No
Suitable for emergency lighting (EF004275)	No
Nominal voltage (EF005127)	110 V
Dimming manufacturer's proprietary system (EF012159)	No
Suitable for light line configuration (EF004274)	No
IFTTT support available (EF011072)	No
Dimming phase cut-on (leading edge) (EF012162)	No
Dimming programmable (EF012163)	No
Dimming RF (EF012164)	No
Dimming Sine Wave Reduction (EF012165)	No
Dimming Touch and Dim (EF012166)	No
Dimming Zigbee (EF012167)	No
Dimming with push-button (EF012168)	No
Length (EF001438)	230 mm
Dimming mains voltage modulation (EF012160)	No
Dimming phase cut-off (trailing edge) (EF012161)	No
Covering of the luminaire with thermally insulating material possible (EF006423)	No
Type of grid (EF000282)	None
Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24 (EF006420)	No
Colour rendering index CRI (EF000442)	90-100
With air slots (EF009372)	No
Suitable for lamp power (EF000280)	70 W
Dimming 0-10 V (EF012152)	No
Dimming 1-10 V (EF012153)	No
Dimming DALI (EF012154)	No

CONTINUED

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Dimming DMX (EF012155)	No
Dimming potentiometer (integrated) (EF012156)	No
Dimming LineSwitch (EF012158)	No
Suitable for suspended mounting (EF001265)	No
Suitable for number of light sources (EF006436)	1
Lamp holder (EF000048)	E27
Type of control gear (EF000381)	Not required
Housing material (EF001596)	Plastic
Suitable for workplace according to EN 12464-1 (EF007694)	No
Suitable for built-in mounting (EF006760)	No
Colour of light (EF009350)	White
Outer diameter (EF000015)	230 mm
Housing colour (EF000136)	White
Rated ambient temperature according to IEC 62722-2-1 (EF012090)	-10 °C
Beam angle (EF008157)	Extreme wide beam >80°
Suitable for wall mounting (EF000664)	Yes

Classification & Catalog Path

Catalog path	LEGRAND > HUBLOTS
--------------	-------------------

Additional Product Information

Pack (number of units)200

Volume (dm3)1 494.00

Weight (g)225 000.00

Product characteristicsIP 44 - IK 07 round bulkhead lights

Polypropylene base

For 23 W compact fluorescent lamps

Diffuser is assembled by a 1/4 turn rotation

Porcelain lampholder

White

E 27

Glass diffuser

General characteristicsIP 44/54/55 weatherproof bulkhead lights - For domestic, commercial areas and tough environments

ETIM for 060451 Luminaires (EC002892)

Feature Name

Feature Value

Suitable for ceiling mounting (EF021180)

Yes

Lamp type (EF002423)

Incandescent lamp

With control gear (EF007556)

No

Suitable for surface mounting (EF007793)

Yes

Compatible with Apple HomeKit (EF014925)

No

Material cover (EF004284)

Glass structured

Compatible with Amazon Alexa (EF014927)

No

Light distribution (EF004283)

Asymmetric

Compatible with Google Assistant (EF014926)

No

Light outlet (EF004282)

Direct

With light sensor (EF001203)

No

Max. system power (EF009347)

70 W

Colour temperature (EF009346)

2700 K

Nominal current (EF009345)

304 mA

Impact strength (EF004293)

IK07

Dimming DSI (EF012188)

No

Protection class according to IEC 61...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LEGRAND / 060451 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.